


WWW.WEHAUSA.COM | INFO@WEHAUSA.COM | 1-877-315-4761

NEW PRODUCTS

Weha continues to add new products to its line up. Here are just a few of the new products introduced in the past year. We strive to improve and update our products on a regular basis. If there is a product you would like to see or a recommendation on one of our existing products please feel free to contact us at: info@wehausa.com.



your local Weha distributor. Visit www.wehausa.com for product and technical information. For technical information and distributor information you can also contact your regional sales manager.

Weha White Lion Quartzite Diamond Bridge Saw Blade

Weha has built this Quartzite Bridge saw blade specifically to cut quartzite stone. But it also does awesome on granite and engineered stone. The Segment is designed with Layered ARIX technology to give high diamond concentration and continuous diamond contact with the stone. The bond matrix is specifically for quartzite, quartz, granite, and engineered stone.

Part #	Description
128903	14" x 20mm White Lion Quartzite Bridge Saw Blade
128904	16" x 20mm White Lion Quartzite Bridge Saw Blade
128906	18" x 20mm White Lion Quartzite Bridge Saw Blade
128908	20" x 20mm White Lion Quartzite Bridge Saw Blade
128909	24" x 20mm White Lion Quartzite Bridge Saw Blade



- » Layered Arrix technology
- » Increased cutting speed
- » German Silent Core
- » 60mm arbor



Also available for Denver & Donatoni Bridge Saws.

Weha Matrix S Diagonal Diamond Bridge Saw Blade

The Weha Matrix S is a premium layered diamond blade designed to cut fast, clean and quiet. Unlike other layered blades, the Weha Matrix S diamonds are layered at a diagonal to the core. This allows 100% continuous cutting. Other layered diamonds have a layer of diamond and a layer of filler, then another layer of diamond. Because of the continuous layer of diagonal diamonds, the Weha Matrix S 18mm height will last as long as other 20-25mm height blades.

Part #	Description
VZ051412	12" Weha Matrix S 12"x60/50x18mm SC Blade
VZ051413	14" Weha Matrix S 14"x60/50x18mm SC Blade
VZ051414	16" Weha Matrix S 16"x60/50x18mm SC Blade
VZ051468	18" Weha Matrix S 18"x60/50x18mm SC Blade

- » Diagonal layered diamond
- » 18mm lasts as long as 25mm
- » For all horsepower saws
- » 14" excellent on CNC saw jets
- » Austrian segment
- » German Silent Core
- » 60/50 arbor



Weha Red Cat Diamond Bridge Saw Blade

The Weha Red Cat Diamond Bridge Saw Blade is a steady running blade for granite, quartz, marble, and even quartzite. This silent core bridge saw blade is great for doing 45° miters with no deflecting. The Red Cat will cut clean with very little chatter or chipping and will cut all the way to the core to get maximum life out of the bladel

Part #	Description
71414	14" x 15mm Red Cat Diamond Bridge Saw Blade
71416	16" x 15mm Red Cat Diamond Bridge Saw Blade
71418	18" x 15mm Red Cat Diamond Bridge Saw Blade

- » 3.3mm thick segment
- » 15mm diamond segment height
- » 60/50 arbor



Weha Ceramik-Dekton® Blade

The Weha Ceramik Dekton[®] Blade has been engineered specifically for cutting 2cm and 3cm Dekton[®] and other ceramic, porcelain sintered stone slabs. The Weha Ceramik blade bond and blade design is uniquely made to provide clean, chip free cuts while providing a faster cut on these extremely hard and brittle surfaces.

Part #	Description
128583	14" Weha Ceramik-Dekton Blade
128584	16" Weha Ceramik-Dekton Blade
128585	18" Weha Ceramik-Dekton Blade

» 10mm height segment

- » 60/50 arbor
- » Recommended for 10hp+ saws

Weha Grey Leopard Miter Blade

Weha Grey Leopard is a free cutting high diamond concentration made specifically for Miter Cuts on granite, marble, quartz, quartzite materials. The "Stiff Core" blade is made with a specific silent core designed specifically for miter and angle cuts. This gives much greater accuracy on miter cuts. Of coarse, this will work perfectly well on standard straight bridge saw cuts as well. The Grey Leopard Stiff Core diamond segment is an ARIX matrix diamond technology with a 20mm x 20mm dual landing segment. This segment design pulls out the slurry faster, improving diamond cutting speed and clean miter and straight cuts.

Part #	Description
138151	14" Weha Grey Leopard Miter Blade
135350	16" Weha Grey Leopard Miter Blade
137682	16" Weha Grey Leopard 400mm with 4.5mm reinforced core
136910	18" Weha Grey Leopard Miter Blade

- » Made for miter cuts
- » Quartzite, quartz, granite, marble
- » Excellent for straight cuts
- » Dual Landing Segment design for fast cutting

Weha Marble Bridge Saw Blade

Weha Marble Diamond Bridge Saw Blades were made specifically for cutting marbles, limestones, travertines, onyx materials, cultured marble, etc

Weha Marble Diamond Bridge Saw Blades offer a chip free cut, smooth finish, and excellent life. This Marble diamond Bridge Saw blade is designed for 3 hp and up bridge saws. Best bridge saw blade for cutting marble.

Part #	Description
5350021	Weha 14" Marble Bridge Saw Blade
5400021	Weha 16" Marble Bridge Saw Blade

- » 7mm x 60mm arbor
- » 25 segments
- » Silent Core

Weha Low Horsepower 14" Bridge Saw Blade

Weha Low Horse Power Diamond Saw Blades are made specifically for rail saws, track saws, and tile saws that have a 3hp or less motor.

The Weha Low Horse Power Diamond Saw Blade have a total outside diameter of 13 7/8". This diameter allows it to fit on the Blue Ripper rail saw and inside other saws with a 14" blade housing.

Part #	Description
7615	Weha Low Horsepower 14" Bridge Saw Blade

- » Total Diameter: 13 7/8" 60mm arbor
- » 10mm height segment





Weha Blitz Ultra Premium Quad Turbo Diamond Blade

Weha 5" Blitz Ultra Premium Quad diamond turbo blades were specifically made to exceed quality, performance, life, and expectations of other premium grade blades that are on the market today. Based upon real life fabricator feedback, life expectancy is between 100-130 linear feet of cut. This includes both shop and install use. Designed with air cool holes to stay cool for continuous cutting. The Blitz blade comes with a solid stiff core which will not deflect, bend, or flex during the cut.

Part #	Description
51415	5" Weha Blitz Ultra Premium Quad Turbo Diamond Blade
51416	6" Weha Blitz Ultra Premium Quad Turbo Diamond Blade
51417	7" Weha Blitz Ultra Premium Quad Turbo Diamond Blade



Weha ST Side Cut Quad Turbo Blade

Weha ST Side Cut Quad blades are ultra premium turbo blades designed for granite, marble, ceramic materials. The Weha ST blade is extremely aggressive in cutting but leaves the stone super smooth because of the side diamonds. Designed with air cool holes to stay cool for continuous cutting. Strong core for grinder use.

Part #	Description	
51460	5" Weha ST 5" x Dia x 7/8"-5/8"x10mm Quad Holes	» Dry use
51461	6" Weha ST 6" x Dia x 7/8"-5/8"x10mm Quad Holes	 » May be used wet
51462Q	7" Weha ST 7"x Dia x 7/8"-5/8"x10mm Quad Holes	_
51463	10" Weha ST Chop Saw Compound Miter Saw Diamond Blade	_
51464	12" Weha ST Chop Saw Compound Miter Saw Diamond Blade	_



Weha Red Cat Turbo Blade

Weha Red Cat Turbo granite blades are one of the best granite, quartz, and Engineered Stone blades for the price. The Red Cat quartz blades are going to cut fast, sinking into the stone with ease. The simple weight of the grinder is enough to make them cut through granite and quartz stone easily. With a full 8mm of diamond and tight narrow turbo diamond segments allow clean, fast cuts and a lot of life.

Part #	Description
71405	Weha 5" Red Cat Diamond Turbo Blade
71406	Weha 6" Red Cat Diamond Turbo Blade

» 4 Quad Core holes » 7/8"- 5/8" arbor » 8mm diamond rim » May be used wet or dry



Weha White Lion Quartzite Diamond Turbo Blade

The Weha White Lion Diamond Turbo Blade was made specifically for cutting very hard materials such as quartzite, engineered stone, quartz, as well as granite.

Made with the very high diamond content and a bond to keep sharp, the Weha White Lion Quartzite Turbo Blade will cut fast and clean

The Weha White Lion Bridge Saw blade sets the standard in Quartzite cutting. Now get the same high quality cuts in a turbo blade.

If you are looking for one blade to fabricate anything that comes through the fabrication shop, whether its marble, granite, quartz, Quartzite, Engineered Stone, or any other stone, The Weha Quartz and Quartzite turbo blade will cut it.

The Weha White Lion Quartzite Turbo Blade can be used wet or dry in all materials.

Part#	Description
128900	Weha 5" White Lion Diamond Turbo Blade
128901	Weha 6" White Lion Diamond Turbo Blade

- » Use for wet and dry cutting
- » 10mm high diamond rim for maximum life expectancy
- » 7/8" x 20-5/8" 4 Pin guad holes for guad adapters

Weha Ceramica R-Mesh Turbo Blade

Weha Ceramica Thin Cut Turbo blade is an extra thin blade designed to cut Lapitec[®], Dekton[®], Neolith[®], fast and extremely clean. The special Weha turbo design will remove the material

rapidly and cleanly and providing maximum air to keep the blades as cool as possible when used dry. This produces a super clean cut with absolute minimal chipping.

Because the blade is only 1.2mm thick, the blade cuts ceramic, porcelain, granite, engineered stone, guartzite cleaner than any other turbo blade on the market.

Part#	Description
PBM4	Weha 4" R-Mesh Turbo Blade
PBM5	Weha 5" R-Mesh Turbo Blade
PBM6	Weha 6" R-Mesh Turbo Blade
PBM7	Weha 7" R-Mesh Turbo Blade

» Use for wet and dry cutting » 7/8" x 5/8" » Max RPM 12.200

Weha Matrix 12" Diamond Continuous Rim Blade

Weha Blitz 12" x 1" Arbor Continuous Rim Reinforced Core Blade is designed to cut chip free, fast, and provide excellent life due to high diamond concentration. This blade is designed specifically for cutting natural stone, engineered stone and quartz material with glass. With the Reinforced core, the blade is outstanding for miter cuts.

» Wet cutting only

- » Excellent on natural stone
- » Chip free cutting
- » Chip free on glass material
- » Excellent with mosaic tile

Part #	Description
51525	Weha Blitz 12" Diamond Continuous Rim Blade Reinforced Core





Weha Continuous Rim Blade

Weha Continuous Rim Blades are designed to cut chip free, fast, and provide excellent life due to high diamond concentration. This blade is designed specifically for cutting natural stone and glass.

Part #	Description	
51509	8"x1"x7mm Continuous Rim	
51510	10"x1"x20mm x 7mm Continuous Rim	
51511	12"x1"x20mm x 8mm Continuous Rim	

- » Premium quality
- » Excellent on natural stone
- » Chip free on glass material
- » Excellent with mosaic tile


Weha Vacuum Brazed Marble Blade

Weha Vacuum Brazed Marble Blade is designed specifically to work on marble, limestone, travertine, and other soft stones for a virtual chip free cut.

Part #	Description
5125090	Weha 5"x 7/8" Vacuumed Brazed Marble Blade

- » New patented Vacuum Brazing Technology
- » Drastically longer life
- » Extremely fast, aggressive cut
- » Outstanding on all marble, limestone, travertine, etc.





Weha Copper Core Continuous Rim Blade

Weha Copper Core continuous rim diamond blade for ceramic, porcelain, glass, and natural stone tile such as granite, marble, travertine, limestone, etc. Weha Copper Core Diamond Blade is made to pull the heat from the blade extending life and making a near perfect cut.

Weha Copper Core diamond blade is made with a special bond that can cut glass, porcelain, and stone with no chipping.

Part#	Description
51550	Weha 4" Copper Core Continuous Rim Blade 22-20mm arbor
51551	Weha 6" Copper Core Continuous Rim Blade 22-20mm arbor
51552	Weha 8" Copper Core Continuous Rim Blade 1" arbor
51553	Weha 10" Copper Core Continuous Rim Blade 1" arbor
51554	Weha 12" Copper Core Reinforced Continuous Rim Blade 1" arbor
51555	Weha 14" Copper Core Reinforced Continuous Rim Blade 60mm arbor



- » Extremely fast, aggressive cut
- » Outstanding on all marble, limestone, travertine, etc.

Weha 5" White Lion Contour Blade

The Wehe 5" White Lion Contour Blade is a high diamond concentrated Contour Blade made for cutting out bowls, radius, and circular cut outs in quartzite, granite, quartz, marble, concrete counter tops, etc. The White Lion 5" Contour Blade is made from the same bond as the White Lion Quartzite, Quartz, Granite Turbo Blades that work incredibly well and cut like butter in all materials. The White Lion 5" contour blade is one contour blade for all stone that runs through the shop.

The White Lion Contour blade can be used wet or dry in all stone, including quartzite and quartz.

Part#	Description
5346	Weha 5" White Lion Contour Blade

5" Weha Matrix Turbo Contour Blade with Side Diamond Cutting

The Weha 5" Turbo Contour Blade with Side Diamond Cutting is a fast cutting, no vibration contour blade. The side diamonds extends a full 13/8" down the blade, assuring the side diamonds will cut completely through 3cm material. Ultra grade diamonds, strong core steel, speed, life, no vibration, smooth running, cutting to the line. This is what makes the Weha Matrix Turbo Contour Blade one of the best diamond contour blades, hands down. Due to the quantity and quality of the full 8mm of turbo diamond segments around the rim of, life of the Weha turbo contour blade will out perform other contour blades in this style design.

Part #	Description
50505	5" Weha Matrix Contour Blade 5"x7/8" - 5/8"
50506	6" Weha Matrix Contour Blade 6"x7/8" - 5/8"







Weha 5" Ultradunn Thin Blade

Weha Ultradunn Turbo Blade is an extra thin blade designed to cut Lapitec[®] & Dekton[®] very fast with a very clean chip free finish. Excellent for cut outs.

Part #	Description	
512250	Weha 5" Ultradunn Thin Blade	

www.wehausa.com · 1-877-315-4761 · info@wehausa.com

Weha Diamond Turbo Rodding Blades

Weha Diamond Turbo Rodding Blade for granite, marble, engineered stone, quartz, quartzite, concrete counter tops. The Weha Diamond turbo rodding blade is designed to increase speed in cutting out the rodding channel for the 1/8" thick fiberglass and metal rods. With a full 10mm height of diamond and cooling holes, the Weha Turbo Rodding Blade cuts as fast as a turbo blade but making a 1/4" wide square notch for the rods.

The Granite Rodding Turbo Blade makes up 2 Weha EB blades separated by an 1/8" thick of metal-all welded together.

Part#	Description
50287	Weha 4" x 1/4" Diamond Turbo Rodding Blade
50289	Weha 5" x 1/4" Diamond Turbo Rodding Blade

When the blade is cutting, it blows out the stone that goes between the blades, leaving a perfect 1/4" wide groove.

Weha 10" (250mm) x 5mm Rodding Blade

Weha 10" x 5mm Rodding Blade is made for saws, such as the GMM, that has Rodding capabilities.

Can be used for making rodding slots on granite, marble, quartz, quartzite.

Part#	Description
107880	Weha 10" (250mm) x 5mm Rodding Blade

Weha Duo Marble Blade

- » Diamonds on both sides
- » 2 blades in one

Part #

51071

- » Flip it over for a new blade
- » Smooth grinding, no chipping

- » Use as a blade
- » Use a cupwheel
- » May be used wet or dry

Weha Quad Adapters 5/8-11 Threads

Description

5" Weha Duo 4.5"x7/8"-5/8"x10mm with Adapter


Weha offers 2 quad adapters for your use. Brass adapters are very durable and will last a very long time. Aluminum adapters work very well and light in weight. Both adapters fit practically all blades made for the USA market. Both adapters come with 4 flush mount screws.

Part #	Description
VZ051054	Aluminum Quad Adapter with Screws
VZ051055	Brass Quad Adapter with Screws











Weha Blitz Diamond Polishing Pad

The Weha Blitz Geo Pattern pads are made with high concentration of diamond into each grit, allowing the pad to create a high gloss finish with the speed that other diamond polishing pads can't achieve. These Blitz 7 step pads will polish granite, engineered stone, quartz, and quartzite stone faster than other advertised 5, 6 and 7 step pads, with a much richer, deeper polish. Extreme flexibility and 3mm thick, the Weha Blitz are touted as one of the best premium granite and stone polishing pads on the market.

» 3mm	thick
-------	-------

» No outer segment loss » Extremely flexible

» Super q	uick polishing » Extremely flexible
Part #	Description
13450	4" Weha Blitz Diamond Polishing Pad 50 grit
134100	4" Weha Blitz Diamond Polishing Pad 100 grit
134200	4" Weha Blitz Diamond Polishing Pad 200 grit
134400	4" Weha Blitz Diamond Polishing Pad 400 grit
134800	4" Weha Blitz Diamond Polishing Pad 800 grit
1341500	4" Weha Blitz Diamond Polishing Pad 1500 grit
1343000	4" Weha Blitz Diamond Polishing Pad 3000 grit
1345000	4" Weha Blitz Diamond Polishing Pad 5000 grit

Weha Quartz Diamond Polishing Pads

The Weha Quartz diamond polishing pads with the Geo Pattern pads are made with high concentration of diamond into each grit, allowing the pad to create a high gloss finish with the speed that other diamond polishing pads can't achieve. Weha Quartz Engineered Stone (ES) Diamond Polishing Pads were made with white resin designed specifically to eliminate all bleeding on quartz, engineered stone materials. However, these premium pads will also work outstandingly on all granite and quartzite stones as well.


Weha has tested these Quartz diamond polishing pads on practically every material made: Silestone (by Cosentino), Zodiaq, Cambria, Caeser Stone, Santa Margherita, LG, Breton materials, and more. The results? Weha Quartz diamond polishing pads create a perfect polish match on these stones.

Part #	Description	
16450	Weha 4" ES Polishing pad 50 grit	
164100	Weha 4" ES Polishing pad 100 grit	
164200	Weha 4" ES Polishing pad 200 grit	
164400	Weha 4" ES Polishing pad 400 grit	
164800	Weha 4" ES Polishing pad 800 grit	
1641500	Weha 4" ES Polishing pad 1500 grit	
1643000	Weha 4" ES Polishing pad 3000 grit	

- » 3mm thick
- » No outer segment loss
- » Highest diamond concentration for polishing pads
- » Extremely flexible
- » Work excellent of granite and naturals stones also
- » Also available in 5"



Exclusive Weha Geometric Water Displacement Technology Pattern Design. This Geo Pattern allows water to flow across and through the pad more efficiently, keeping the pad from hydroplaning and allowing it to "bite" into the stone.



Weha Trio 3 Step White Hybrid Diamond Polishing Pads

The Trio 3 Step Diamond Polishing Pads really work. The Trio pads are packed with premium diamond and resin that are made to work exceptionally well on light and dark quartz, all engineered stone, as well as granite and quartzite.

Weha Trio 3 Step Polishing Pads are 3mm thick for a full matrix of diamonds. The edges around the pad are rounded allowing the pad to easily glide across the stone, especially inside bowls, ogees, and tighter radius profiles.

The Trio White Hybrid resin bond will not bleed or leave resin marks on light or dark quartz or any stone. Weha has designed the Trio to be the best 3 step diamond

Part #	Description
13341	4" Weha Trio 3 Step Diamond Polishing Pad Step 1
13342	4" Weha Trio 3 Step Diamond Polishing Pad Step 2
13343	4" Weha Trio 3 Step Diamond Polishing Pad Step 3

Dry

Weha Trilogy 3 Step Diamond Polishing Pads - Wet/

Weha Trilogy 3 Step Diamond polishing pads are the absolute best polishing pads specifically for black, brown, gray, engineered stone, quartz stone. But they are equally as good on Black Absolute, Baltic Brown, Uba Tuba, and other dark granites and marbles. Additionally, they work amazing on light colored engineered stone, quartz, granite, marble, as well with zero bleeding. Absolutely perfect for Silestone, Cambria, Caesarstone, Zodiaq, Santa Margherita, and all other quartz surfaces. So many fabricators are using 5 step or 7 step pads to match the polish on these dark quartz materials. Now with the Weha Trilogy, 3 pads and THAT'S IT! Not 3 steps and buff. Not 3 steps and 1 more. 3 steps and put it on the truck.

Part #	Description
13361	4" Weha Trilogy POS 1
13362	4" Weha Trilogy POS 2
13363	4" Weha Trilogy POS 3

» 3mm thick

polishing pads for quartz, granite, and quartzite.

J STEP

CAPET PERS

- » Super flexible
- » Max RPM 4500

Weha 3 Step Hybrid - Wet/Dry

Weha 3-Step Polishing pads were built with quality, performance, and speed

Part #	Description
13347	3" Weha 3 STEP Hybrid POS 1
13348	3" Weha 3 STEP Hybrid POS 2
13349	3" Weha 3 STEP Hybrid POS 3
13351	4" Weha 3 STEP Hybrid POS 1
13352	4" Weha 3 STEP Hybrid POS 2
13353	4" Weha 3 STEP Hybrid POS 3
13350	4" Weha 3 Step Hybrid Set of 3
13355	5" Weha 3 Step Hybrid POS 0
13356	5" Weha 3 Step Hybrid POS 1
13357	5" Weha 3 Step Hybrid POS 2
13358	5" Weha 3 Step Hybrid POS 3

as its driving force. Weha wanted the fabricator to cut their polishing process in half the steps, saving 50% labor, doubling production, while improving the quality of the polish. Weha 3-Step pads have fully achieved this with results that have to be experienced to believe.

- » 3mm thick
- » Super flexible
- » Use wet OR dry on granite
- » Use wet OR dry on marble
- » Use wet on engineered stone
- » Max RPM: 4500

Weha Matrix 3 Step Diamond Polishing Pads

Weha Matrix 3 Step Diamond Polishing Pads are a 3 step polishing pad for granite, quartz, engineered stone, hard marbles. Weha Matrix 3 Step pads are an economical 3 step system that will give a good polish on granite and quartz materials, especially for the medium dark to light stone.

The Matrix 3 step are made with white resin that will not burn or leave resin marks on the stone or quartz materials.

	of the second		antico.
ł		ACCESSION OF	
	MATRIX	ATRIX	ATRIX
	3.5150 AR 1	a 2 ueha	1 93 3
	unter	Wehausa.com	meha
	Carls Schudzo Con		"Wehnuso.co"

uueha

HO

weba

H2

HTMAN

AVENUE -

LAND VILL

Part #	Description
50451	4" Weha Matrix 3 Step Diamond Polishing Pad POS 1
50452	4" Weha Matrix 3 Step Diamond Polishing Pad POS 2
50453	4" Weha Matrix 3 Step Diamond Polishing Pad POS 3

Weha EZ3 3 Step Diamond Polishing Pads

Weha EZ3 3 Step Diamond Polishing Pads are a 3 step polishing pad for granite, quartz, quartzite, engineered stone, hard marbles. the EZ3 3 step diamond polishing pads work well on all materials

The Weha EZ3 3 step pads are flexible, cuts and polishes fast, and still offers good life. The EZ3 3 Step Diamond Polishing Pads were built to achieve a good polish on medium to light colored granite, quartz, and engineered stone materials.

For the price, you can't beat the EZ3 3 step pads.

Part #	Description
60451	4" Weha EZ3 3 Step Diamond Polishing Pad POS 1
60452	4" Weha EZ3 3 Step Diamond Polishing Pad POS 2
60453	4" Weha EZ3 3 Step Diamond Polishing Pad POS 3



Weha Schein Polishing Pads - Wet

The Weha Schein pads are a full 3.4mm thick! This very flexible pad will polish quickly, leave a brilliant polish, and will last much longer than standard polishing pads. Perfect for granite, hard marbles, engineered stones. Great pad at a great price! When compared to other polishing pads in their price range, the Schein will out flex, out polish, and out Schein the competition!

Part #	Description
11350	3" Weha Schein Polishing Pad 50 grit
113100	3" Weha Schein Polishing Pad 100 grit
113200	3" Weha Schein Polishing Pad 200 grit
113400	3" Weha Schein Polishing Pad 400 grit
113800	3" Weha Schein Polishing Pad 800 grit
1131500	3" Weha Schein Polishing Pad 1500 grit
1133000	3" Weha Schein Polishing Pad 3000 grit
11430	4" Weha Schein Polishing Pad 30 grit
11450	4" Weha Schein Polishing Pad 50 grit
114100	4" Weha Schein Polishing Pad 100 grit
114200	4" Weha Schein Polishing Pad 200 grit
114400	4" Weha Schein Polishing Pad 400 grit
114800	4" Weha Schein Polishing Pad 800 grit
1141500	4" Weha Schein Polishing Pad 1500 grit
1143000	4" Weha Schein Polishing Pad 3000 grit

Setting. uneba weba Schein Schein weba schei 200 50 metra Schëin REP. R. B. C. 400 uneha 30 Schein Schel 9 1500 300 3000 » Starts super flexible » Remains super flexible » 3.4mm thick diamond

» Up to 5000 RPM


Part #	Description
11550	5" Weha Schein Polishing Pad 50 grit
115100	5" Weha Schein Polishing Pad 100 grit
115200	5" Weha Schein Polishing Pad 200 grit
115400	5" Weha Schein Polishing Pad 400 grit
115800	5" Weha Schein Polishing Pad 800 grit
1151500	5" Weha Schein Polishing Pad 1500 grit
1153000	5" Weha Schein Polishing Pad 3000 grit

Weha Matrix 7 Step High Production Polishing Pads - Wet

Weha threw out the conventional way 7 step granite diamond polishing pads were made and started from scratch. Weha took each individual grit and customized that diamond matrix to do one of several things: cut faster, last longer, soften the bond, make the bond harder, make them more aggressive, a little finer bond, etc. We then synchronized the entire 7 step sequence so that each grit complimented the previous grit and its matrix. The

end result is achieving a perfect polish, at the fastest rate of speed, all the while maximizing the life the pads.

Part #	Description
50401	4" Matrix Wet Polishing Pad 50 grit
50402	4" Matrix Wet Polishing Pad 100 grit
50403	4" Matrix Wet Polishing Pad 200 grit
50404	4" Matrix Wet Polishing Pad 400 grit
50405	4" Matrix Wet Polishing Pad 800 grit
50406	4" Matrix Wet Polishing Pad 1500 grit
50407	4" Matrix Wet Polishing Pad 3000 grit
50400	4" Matrix Wet Polishing Pad Set of 7



Weha Matrix 7 Step - Dry- Matte Finish

The Weha Matrix Matte finish dry pads were made to be aggressive and polish right out of the gate. These quality dry pads will create a perfect polish on granite, marble, quartzite, and other natural stone. They also can be used wet on all these materials as well as engineered stone.

Part #	Description
50408	4" Matrix Dry Polishing Pad 50 grit
50409	4" Matrix Dry Polishing Pad 100 grit
50410	4" Matrix Dry Polishing Pad 200 grit
50411	4" Matrix Dry Polishing Pad 400 grit
50412	4" Matrix Dry Polishing Pad 800 grit
50413	4" Matrix Dry Polishing Pad 1500 grit
50414	4" Matrix Dry Polishing Pad 3000 grit

- » Aggressive » Maximum RPM 5000
- » Dry use
- » May be used wet
- » Velcro backed



Weha Xubi Honeycomb - Dry Pads - Gloss Finish

Weha 4" Xubi Dry Diamond Polishing Pads are super flexible dry diamond polishing pads for granite, marble, quartzite and any other natural stone. The high diamond content and super flexible cloth back make the Xubi one of the best granite dry diamond polishing pads for the price.

Part #	Description
40450	4" Xubi Honeycomb Dry Polishing Pad 50 grit
40451	4" Xubi Honeycomb Dry Polishing Pad 100 grit
40452	4" Xubi Honeycomb Dry Polishing Pad 200 grit
40453	4" Xubi Honeycomb Dry Polishing Pad 400 grit
40454	4" Xubi Honeycomb Dry Polishing Pad 800 grit
40455	4" Xubi Honeycomb Dry Polishing Pad 1500 grit
40456	4" Xubi Honeycomb Dry Polishing Pad 3000 grit
40457	4" Xubi Honeycomb Dry Polishing Pads Set of 7



» Super Flexible


DRY CO

- » Maximum RPM 5000
- » Used wet or dry

Weha Electro Flex Electroplated Diamond Polishing Pads

Weha Electro Flex Marble Electroplated Diamond Polishing Pads are Velcro backed flexible diamond polishing pads made specifically for polishing marble, travertine, limestone, cultured marble, and other soft materials. Weha Electro Flex marble polishing pads are also excellent for removing the polish from granite to create a honed finish on granite.

Part #	Description
11460	4" Weha Electro Flex Electroplated Diamond Polish Pad 60 grit
11461	4" Weha Electro Flex Electroplated Diamond Polish Pad 120 grit
11462	4" Weha Electro Flex Electroplated Diamond Polish Pad 200 grit
11463	4" Weha Electro Flex Electroplated Diamond Polish Pad 400 grit



» Excellent for removing polish from granite to create a honed finish

5" & 7 " also available Please visit www.wehausa.com

Weha 3 Step Triad Dry Polishing Pads

Weha Triad 3 Step Dry Diamond Polish Pads are for granite, marble, quartzite and all natural stone. The new triangular pattern allows for the maximum amount of diamond to be ceramic crystal coated. This offers the most utilized concentrated diamond possible. Also, this triangular design deflects and releases the maximum amount of heat keeping the ceramic bond 20-30% cooler than other designed dry diamond polishing pads. The special backing are designed to be extremely durable, does not release the diamonds and offers amazing flexibility.

Part #	Description
13371	Weha 4" Triad Polishing Pads Step 1
13372	Weha 4" Triad Polishing Pads Step 2
13373	Weha 4" Triad Polishing Pads Step 3



- » Max RPM 6000
- » May be used on granite, marble, quartzite, natural stone - wet or dry
- » Engineered stone, quartz stone wet only

weha

5-step 🚱 Dry

Weha 4" 5 Step Dry Diamond Polishing Pads

Weha 5-Step Dry Diamond Polishing pads are for polishing granite, marble, concrete and all natural stones. Made from the latest multi-diamond matrix bond technology. Only 5 diamond polishing pads are needed to

Part #	Description
D5S41	Weha 4" 5 Step Dry Diamond Polishing Pad Step 1
D5S42	Weha 4" 5 Step Dry Diamond Polishing Pad Step 2
D5S43	Weha 4" 5 Step Dry Diamond Polishing Pad Step 3
D5S44	Weha 4" 5 Step Dry Diamond Polishing Pad Step 4
D5S45	Weha 4" 5 Step Dry Diamond Polishing Pad Step 5
D5S4SET	Weha 4" 5 Step Dry Diamond Polishing Pad Set of 5

Weha Spiral Brick Dry Polishing Pads

Weha Spiral Brick dry polishing pads are premium diamond concentration pads designed to be used both on the job site as well as in the shop. With more diamond content, these dry pads polish faster, last longer than standard dry pads with a brilliant polish, and still remain

Part #	Description
DPS450	Weha 4" Spiral Brick Dry Pad 50 grit
DPS4100	Weha 4" Spiral Brick Dry Pad 100 grit
DPS4200	Weha 4" Spiral Brick Dry Pad 200 grit
DPS4400	Weha 4" Spiral Brick Dry Pad 400 grit
DPS4800	Weha 4" Spiral Brick Dry Pad 800 grit
DPS41500	Weha 4" Spiral Brick Dry Pad 1500 grit
DPS43000	Weha 4" Spiral Brick Dry Pad 3000 grit
DPS4SET	Weha 4" Spiral Set of 7 50-3000 grit



» May be used wet or dry

» Premium quality

- » Super flexible
- » Up to 5000 RPM
- » Incredible polish

create the best dry polish.

	A A A A A A A A A A A A A A A A A A A
nametras n-simp (* Dry'	s-step & Dry
	5

RANGE TRAN

s-step 💦 Dry

meha

etten 💸 Dr.

www.wehausa.com • 1-877-315-4761 • info@wehausa.com

extremely flexible


Weha Copper Flex Diamond Polishing Pads - Wet/Dry

Copper Flex polishing pads are copper bonded diamond polishing pads that are designed to last longer than resin bond diamond polishing pads. These polishing pads are designed for fast stock removal and can be used with various materials including granite, marble, concrete and engineered stone.

Use the Copper Flex wet polishing pads to shape and start the polishing process. After that, simply switch to the standard resin bond wet polishing pads starting with a 400 grit to complete the polishing process. It is as simple as that.

These copper pads are 3mm thick yet, flexible. Since they are flexible, they and can be used for radius and bowl polishing.

Part #	Description
15500	4" Weha Copper Flex Diamond Polish Pad 30 grit
15501	4" Weha Copper Flex Diamond Polish Pad 50 grit
15502	4" Weha Copper Flex Diamond Polish Pad 100 grit
15503	4" Weha Copper Flex Diamond Polish Pad 200 grit



Weha Copper Diamond Polishing Pads - Wet/Dry

Weha Copper Diamond Hand Pads are also full bond copper diamond hand pads that can be used wet and dry.

They life of these Copper Han Pads are 3 times the life of standard diamond hand pads. And because of the copper bond, they remove stock and shape much faster than standard electroplated pads. Use the Copper Diamond Hand Pads in grits 50,100,200 to create the bullnose, remove stock, and start the polishing process. Then switch over to the 400 standard diamond hand pads. They will seamlessly switch over to finish the polish.

Part #	Description
15400	Weha 4" Copper Diamond Polishing Pad 30 Grit
15401	Weha 4" Copper Diamond Polishing Pad 50 Grit
15402	Weha 4" Copper Diamond Polishing Pad 100 Grit
15403	Weha 4" Copper Diamond Polishing Pad 200 Grit
13715	Weha Copper Diamond Hand Polishing Pad 50 Grit
13716	Weha Copper Diamond Hand Polishing Pad 100 Grit
13717	Weha Copper Diamond Hand Polishing Pad 200 Grit



» Wet or Dry » Hand pads 2"x3.5"

Weha 4" Ultra Buff Final Polish Pads

Finding a final polish buff pad to do what it is meant to do has been quite difficult. Finally, Weha has produced a super high quality final buff pad that will achieve the purpose of what a buff pad is supposed to do: To top off the polishing process to perfectly match the original factory finish of the top of the slab or blend in the final touch of a surface scratch. The Weha Final buff pad will achieve that very result, without having to pay a fortune to get it!

Part #	Description
134FBB	Weha 4" Black Buff Final Polish Pad
134FBW	Weha 4" White Buff Final Polish Pad





Weha Diamond Hand Polishing Pads work with granite, marble, travertine, limestone, ceramic, concrete. Weha Diamond Polishing Hand Pads are preferred to be used wet,even with just a little water. Weha Diamond hand polishing pads are excellent for polishing up edges of material that has been profiled. The Weha Diamond Hand Polishing Pads come with

Part #	Description
13700	Weha Diamond Hand Polishing Pad 30 Grit
13701	Weha Diamond Hand Polishing Pad 60 Grit
13702	Weha Diamond Hand Polishing Pad 100 Grit
13703	Weha Diamond Hand Polishing Pad 200 Grit
13704	Weha Diamond Hand Polishing Pad 400 Grit
13705	Weha Diamond Hand Polishing Pad 800 Grit
13706	Weha Diamond Hand Polishing Pad 1500 Grit
13707	Weha Diamond Hand Polishing Pad 3000 Grit
13708	Weha Diamond Hand Polishing Pad 7000 Grit
13709	Weha Diamond Hand Polishing Pad Buff Black
13710	Weha Diamond Hand Polishing Pad Buff White

a flexible foam backing that allows the pads to be used straight as well as be formed to the profiled edge that you are working with. Weha Diamond Hand Polishing Pads are 2" wide x 3 1/2" long for a firm grip for polishing. For more aggressive lower grit diamonds that create faster work and last longer try the Weha Copper Diamond Hand Polishing Pads.



Weha Turbo Polishing Pads

Weha 3.5" Turbo discs are designed to repolish surface scratches, flat edges, bevels, seams before laminating to get an

Part #	Description
TD3550	Weha 3.5" Turbo Polishing Pad 50 grit
TD35100	Weha 3.5" Turbo Polishing Pad 100 grit
TD35200	Weha 3.5" Turbo Polishing Pad 200 grit
TD35400	Weha 3.5" Turbo Polishing Pad 400 grit
TD35800	Weha 3.5" Turbo Polishing Pad 800 grit
TD351500	Weha 3.5" Turbo Polishing Pad 1500 grit
TD353000	Weha 3.5" Turbo Polishing Pad 3000 grit

super tight seam, as well as reaching tight corners with their special flare design. Very aggressive, extremely rigid, the Weha turbo discs will not allow

waves during the polishing process and create a factory finished polish.

» Rigid» Up to 4500 RPM» Flare design» Wet use



Weha 4" Pitbull Diamond Hybrid Resin Cupwheel

The Weha 4" Pitbull Diamond Resin Cupwheel is a New Hybrid Resin Polishing pad with a harder bond to perform like a resin filled diamond cup wheel. However, the Pitbull Resin Cupwheel will grind and shape with zero chipping on the material.

The Pitbull resin cupwheel comes on a light weight rigid aluminum back. The resin diamond looks like a traditional polishing pad. But the bond is a more durable, longer lasting bond that will outlast traditional polishing pads.

Part #	Description
142311	Weha 4" Pitbull Diamond Hybrid Resin 30 Grit
142312	Weha 4" Pitbull Diamond Hybrid Resin 50 Grit
142313	Weha 4" Pitbull Diamond Hybrid Resin 100 Grit
142314	Weha 4" Pitbull Diamond Hybrid Resin 200 Grit

The Weha 4" Pitbull Resin Cup wheel can run wet or dry on all materials including granite, marble, quartz, engineered stone, porcelain, ceramic, cultured, concrete, and other stone with zero chipping.

The Resin Cupwheel can remove fiber mesh off the back of stone as fast as any diamond cupwheel can. It will create a bevel, round over, or larger radius very quickly.

Weha Donkey Face Polish Diamond Polishing Pads

The Weha "Donkey" Pads are 4" Velcro backed Quartz Face, surface polishing pads designed specifically to repair the surface of quartz, engineered stone, granite, marble, and quartzite.

Outstanding for quartz scratch repair, blending seams, even polishing edges.

The Weha Donkey pads also work incredibly well on repairing marble etch marks and resurfacing marble counters for repair.

The Weha Donkey repair polishing pads are a diamond sponge system that holds a lot of water. This works amazing when doing repair work inside a home where water is limited.


The Weha Donkey pads will also work on granite surfaces as well. *Also available in 5" and 6".*

Description
4" Weha Trilogy POS 1
4" Weha Trilogy POS 2
4" Weha Trilogy POS 3
4" Weha Donkey Quartz Diamond Polish Pad 600 grit
4" Weha Donkey Quartz Diamond Polish Pad 1000 grit
4" Weha Donkey Quartz Diamond Polish Pad 2000 grit
4" Weha Donkey Quartz Diamond Polish Pad 3000 grit
4" Weha Donkey Quartz Diamond Polish Pad 6000 grit
4" Weha Donkey Quartz Diamond Polish Pad 10000 grit



We've changed the name because these pads are KICKING A\$\$!





600

DONKEY PAD

Weha Donkey FF Quartz Face Polish Diamond Polishing Pads FOR SINGLE HEAD AND MULTIHEAD MACHINES

Part #	Description
147465	Weha Frankfurt Donkey Pad 400 grit
146638	Weha Frankfurt Donkey Pad 600 grit
146639	Weha Frankfurt Donkey Pad 1000 grit
146653	Weha Frankfurt Donkey Pad 2000 grit
146654	Weha Frankfurt Donkey Pad 3000 grit
146655	Weha Frankfurt Donkey Pad 6000 grit
146657	Weha Frankfurt Donkey Pad 10000 grit

NEW & IMPROVED These pads KICK A\$\$!



Weha Donkey Auto-Edge Inline Pads

Weha Velcro backed edge wheels are built and designed specifically for horizontal machines such as Comandulli machines, Montresor edge polishers as well as vertical polishing machines: Sasso Flying Flat, Park Industries FastBack, GMM Tower, Marmo 711, and other polishing machines.

Designed to accommodate between 5-9 heads, the Weha inline polishing combo system will create a fantastic polish on marble, granite, dark quartz, light quartz, quartzite, porcelain, ceramic, sintered stone, etc.

The Weha inline polishing wheels are velcro backed for quick replacement without the hassle of removing the snail lock holders.

The Step 0 is not needed under normal circumstances. Only use #0 if the edge is not flat or extremely rough and needs some stock removal before step 1.

This Weha combo system took several months of R & D and has been tested on 5 head vertical machines as well on up to 8 head horizontal machines. The combination of the 3 Step and Donkey Pads is producing an excellent polish on all materials with all machines. The Step 1,2,3 will be used together in sequence.

For 5 head machines:

Step 1,2,3, Donkey Pad 1000,2000 or 2000, 3000 depending on the stone and how much gloss you need to match.

Typical quartz use 1,2,3, Donkey Pad 1000, 2000. For greater texture use Step 1,2,3 Donkey Pad 600, 1000

For 6 or more head machines the sequence can be the same as the 5 head sequence. You may add the 3000 grit Donkey for the occasional very difficult granite.

5" Donkey Inline Set Includes:

Part #	Description
13385	5" Weha Donkey Pad Inline Step 1
13387	5" Weha Donkey Pad Inline Step 2
13389	5" Weha Donkey Pad Inline Step 3
136918	5" Weha Donkey Quartz Diamond Polish Pad 600 grit
136919	5" Weha Donkey Quartz Diamond Polish Pad 1000 grit
136920	5" Weha Donkey Quartz Diamond Polish Pad 2000 grit
136921	5" Weha Donkey Quartz Diamond Polish Pad 3000 grit
136922	5" Weha Donkey Quartz Diamond Polish Pad 6000 grit
136923	5" Weha Donkey Quartz Diamond Polish Pad 10000 grit
VZ051043	5" Snail Lock Velcro Back Up Pad
OPTIONAL	

6" Donkey Inline Set Includes:

Part #	Description
13391	6" Weha Donkey Pad Inline Step 1
13392	6" Weha Donkey Pad Inline Step 2
13393	6" Weha Donkey Pad Inline Step 3
147271	6" Weha Donkey Quartz Diamond Polish Pad 600 grit
147272	6" Weha Donkey Quartz Diamond Polish Pad 1000 grit
147273	6" Weha Donkey Quartz Diamond Polish Pad 2000 grit
147274	6" Weha Donkey Quartz Diamond Polish Pad 3000 grit
147275	6" Weha Donkey Quartz Diamond Polish Pad 6000 grit
147276	6" Weha Donkey Quartz Diamond Polish Pad 10000 grit
13396	6" Snail Lock Velcro Back Up Pad
OPTIONA	L

13384 5" Weha Donkey Pad Inline Step 0







13390



6" Weha Donkey Pad Inline Step 0





BACKUP PADS

5 Step System for Granite, Marble, Engineered Stone & Quartzite

Part #	Description
13550	4" Weha 5 Step C Frame Graphite Metal Diamond POS 1
13551	4" Weha 5 Step C Frame Graphite Metal Diamond POS 2
13552	4" Weha 5 Step C Frame Diamond Copper Resin Polishing Pad POS 3
13553	4" Weha 5 Step C Frame Diamond Resin Polishing Pad POS 4
13554	4" Weha 5 Step C Frame Diamond Resin Polishing Pad POS 5
13555	4" Weha 5 Step C Frame Diamond Resin Polishing Pad POS 6



Weha Frankfurt Button Diamond Shoe

The newest technology in radial arm and CNC stock removal and honing. The Weha Frankfurt Button Diamond Shoes will remove a polish incredibly fast. But most importantly, it will create a perfectly even 80/100 grit honed finish leaving the stone ready for bringing the polish back up or starting the Antique, Leather finish with the brushes.

Part #	Description	
50290	Weha Frankfurt Button Diamond Shoe	

- » CNC machines with a cnc plate
- » Radial Arm Machines
- » Floor machines with a frankfurt plate
- » Wet use only

ce

Weha Snail Lock Velcro Back Up

Part #	Description
VZ051042	4" Snail Lock Velcro Back Up Pad
VZ051043	5" Snail Lock Velcro Back Up Pad
13396	6" Snail Lock Velcro Back Up Pad



Snail Lock Back Up Pad


Part #	Description
VZ051040	4"x5/8" Brass Snail Lock Back Up Pad
VZ051041	5"x5/8" Brass Snail Lock Back Up Pad



Aluminum Back Up Pad

Part #	Description
51077	3"x5/8"-11 Aluminum Back Up Pad
51078	4"x5/8"-11 Aluminum Back Up Pad
51079	5"x5/8"-11 Aluminum Back Up Pad





BACK UP PADS

Rigid Back Up Pad

Part #	Description
VZ051052	5"x5/8"-11 Rigid Back Up Pad



Thin Rigid Back Up Pad - Phenolic Resin

Part #	Description
51084	4"x5/8"-11 Thin Rigid Back Up Pad



Super Flex Back Up Pad

Part #	Description
VZ051035	3" Super Flex Back Up Pad
VZ051036	4" Super Flex Back Up Pad
VZ051037	5" Super Flex Back Up Pad





Weha Turbo Back Up Pad

Part #	Description
51080	3.5"x5/8"-11 Turbo Back Up



4" Midflex Velcro Back Up Pad

Part #	Description
VZ051050	4" Midflex Back Up Pad

Flexible Back Up Pad

Part #	Description
VZ051048	3"x5/8"-11 Flexible Back Up Pad
VZ051045	4"x5/8"-11 Flexible Back Up Pad
VZ051051	5"x5/8"-11 Flexible Back Up Pad



Frankfurt Velcro Back Up Pad

Part #	Description
5006984	Frankfurt Velcro Back Up Pad



Weha Thick Yellow Foam Velcro Back Up Pad

Part #	Description
4440	4" x 5/8" Thick Yellow Foam Back Up Pad
4441	5" x 5/8" Thick Yellow Foam Back Up Pad



CUPWHEELS

Weha Rubber Diamond Cupwheel

The Weha Rubber Diamond Cupwheel is the ultimately the smoothest running cupwheel produced. The Rubber cupwheel has traditional diamond segments. But with a specially designed rubber that separates the diamonds from the aluminum thread, it completely absorbs all vibration from the tool and the stone. Can be used wet or dry. Max 10,000 rpm.

Part #	Description
50250	4"x5/8"-11 Weha Rubber Diamond Cupwheel - Coarse
50251	4"x5/8"-11 Weha Rubber Diamond Cupwheel - Medium
50255	5"x5/8"-11 Weha Rubber Diamond Cupwheel - Coarse
50256	5"x5/8"-11 Weha Rubber Diamond Cupwheel - Medium

- » Easier on the grinder
- » Less user fatigue
- » Rubber backed
- » Vibration free
- » Super Smooth

Weha 4" Pitbull Diamond Hybrid Resin Cupwheel

The Weha 4" Pitbull Diamond Resin Cupwheel is a New Hybrid Resin Polishing pad with a harder bond to perform like a resin filled diamond cup wheel. However, the Pitbull Resin Cupwheel will grind and shape with zero chipping on the material.

The Pitbull Resin Cupwheel comes on a light weight rigid aluminum back. The resin diamond looks like a traditional polishing pad. But the bond is a more durable, longer lasting bond that will outlast traditional polishing pads.

The Weha 4" Pitbull Resin Cup wheel can run wet or dry on all materials including granite, marble, quartz, engineered

Part #	Description	
142311	Weha 4" Pitbull Diamond Hybrid Resin 30 Grit	
142312	Weha 4" Pitbull Diamond Hybrid Resin 50 Grit	
142313	Weha 4" Pitbull Diamond Hybrid Resin 100 Grit	
142314	Weha 4" Pitbull Diamond Hybrid Resin 200 Grit	

Iry on all materials including granite, marble, quartz, engineered stone, porcelain, ceramic, cultured, concrete, and other stone with zero chipping.

The Resin Cupwheel can remove fiber mesh off the back of stone as fast as any diamond cupwheel can. It will create a bevel, round over, or larger radius very quickly.

Weha WX2 Cupwheel/Blade/Rodding Blade

The Weha WX2 Multi Blade/Cupwheel is an extremely versatile tool for both the shop and the job site. The WX2 can be used as a diamond cupwheel for aggressive, yet smooth finish grinding. It can be used as a traditional diamond impregnated diamond blade for cutting with a grinder. And with a thickness of 3/16" it can also be used as a rodding blade! Made with premium quality diamonds, the WX2 can be a one stop blade for multiple uses in the shop and on the job site. Comes with the quad adapter. Can be used wet or dry. Max 10,000 rpm.

Part #Description502725"x5/8"-11 Weha WX2 Diamond Cupwheel

» Cutting » Grinding

» Rodding » Comes with Quad adapter



CUPWHEELS

Weha Resin Cupwheels

Resin Filled cupwheels are perfect for chip free grinding and honing. Diamonds are specifically placed on the cup wheel for maximum speed. Resin is filled to eliminate bouncing, or "biting" into the material-the things that cause chipping.

Part #	Description
7680	4"x5/8"-11 Resin Filled Cupwheel-Course
7681	4"x5/8"-11 Resin Filled Cupwheel-Medium
7682	4"x5/8"-11 Resin Filled Cupwheel-Fine

Weha Blitz 4" Resin Filled Cupwheels

Weha Blitz Resin Filled cupwheels are perfect for chip free grinding and honing of granite, marble, quartz, and all natural stone. With ridiculous amounts of diamond embedded in to this cupwheel, the life is crazy good. Additionally the design pattern with additional circular diamonds inside create even stock removal.

Part #	Description
7685	Weha Blitz 4" Resin Filled Cupwheel-Coarse
7686	Weha Blitz 4" Resin Filled Cupwheel-Medium
7687	Weha Blitz 4" Resin Filled Cupwheel-Fine

Weha Vacuum Brazed Contour Cupwheel

Weha Diamond Vacuum Brazed Contour Cup Wheels for granite, marble, engineered stone, and all natural stones. Vacuum Brazed Contour Cup Wheels are very aggressive, light weight, run extremely smooth, virtually chip free and never need dressing.

Weha Vacuum Brazed Cup Wheels are very thin metal cup wheels for stock removal and shaping on practically any surface.

- » High quality for granite & marble
- » Contour shape allows inside radius grinding
- » Smooth, chip free results

Part #	Description
51072	4" x 5/8"-11 Vac Brazed Contour Cupwheel

4" Flap Diamond Cupwheel

The Weha Flap Diamond Disc Cupwheels are an outstanding aluminum backed diamond cup wheel for shaping and polishing granite, marble, engineered stone, quartzite, ceramic, porcelain, and other materials. These cup wheels have been fully tested on Cosentino Dekton[°], Breton Lapitec[°], Marble, Granite, Engineered Stone, Quartz materials, Concrete

Part#	Description
7650	4" Flap Diamond Cup Wheel 60 Grit
7651	4" Flap Diamond Cup Wheel 120 Grit
7652	4" Flap Diamond Cup Wheel 200 Grit
7653	4" Flap Diamond Cup Wheel 400 Grit

Stone, Quartz materials, Concret counter tops. They are perfectly balanced with zero vibration.

- » Light weight
- » Zero chipping
- » Outstanding for honing



- » Resin Filled » Chip-free finish
- » Perfectly balanced » 5/8-11 thread





» 5/8-11 thread

» Super light weight cupwheel» May be used WET or DRY

Weramic CNC Porcelain Ceramic Core Bits - 1/2 Gas

Weha Weramic 1/2 Gas CNC Core bit has been designed specifically for large porcelain panel and Ultra compact sintered stone material such as Dekton[®], Lapitec[®], Neolith[®], Laminam[®], etc. Weha Weramic CNC porcelain and ceramic core bits work excellent on all CNC machines such as Breton[®], Northwood[®], Park Industries,[®] and other cnc machines.

These core bits have been built to core perfectly smooth, chip free holes on all thickness materials from 6mm - 30mm. With a 2mm thick rim, these thin wall core bits will drill very clean and fast through the porcelain and ceramic materials.

Part#	Description
142844	Weha Weramic CNC Core Bit 1/2 Gas 1" - 26mm
142845	Weha Weramic CNC Core Bit 1/2 Gas 1 1/4" - 32mm
139192	Weha Weramic CNC Core Bit 1/2 Gas 1 3/8" - 35mm
142846	Weha Weramic CNC Core Bit 1/2 Gas 1 1/2" - 39mm
142848	Weha Weramic CNC Core Bit 1/2 Gas 2" - 51mm
142849	Weha Weramic CNC Core Bit 1/2 Gas 2 1/2" - 65mm
142851	Weha Weramic CNC Core Bit 1/2 Gas 3" - 76mm





- » Total length: 3 7/8" (100mm)
- » Drilling depth: 17/8"
- » 1/2 Gas male CNC Thread
- » Recommended RPM: between 1400-2800 rpm
- » Feed rate: between 3"-4" per minute



Weramic Porcelain Ceramic Core Bits for Dekton[®], Lapitec[®], Neolith[®], and other large format Porcelain Panels

Weramic Porcelain Ceramic Core Bit 5/8-11 Thread

Weha Weramic 5/8-11 Core bit have been designed specifically for large porcelain panel and Ultra compact sintered stone material such as Dekton[°], Lapitec[°], Neolith[°], Laminam[°], etc. Weha Weramic porcelain and ceramic core bits work excellent on all ceramic products such as floor tile and wall tile.

The Weramic porcelain core bits have been built to core perfectly smooth, chip free holes on all thickness materials from 6mm, 8mm,10mm, 12mm 20mm, and 30mm. With a 2mm thick rim, these thin wall core bits will drill very clean and fast through the porcelain and ceramic materials.

- » Wet or dry on material up to 6mm
- » Wet only for material thicker than 6mm
- » Total length: 3 1/8"
- » Drilling depth: 17/8"
- » 5/8-11 Thread
- » Recommended RPM: between 1600-2800 rpm

Part#	Description
142859	Weha Weramic Core Bit 5/8-11 Thread 1/2"
142860	Weha Weramic Core Bit 5/8-11 Thread 3/4"
142861	Weha Weramic Core Bit 5/8-11 Thread 1"
142862	Weha Weramic Core Bit 5/8-11 Thread 1 1/8"
142863	Weha Weramic Core Bit 5/8-11 Thread 1 1/4"
139193	Weha Weramic Core Bit 5/8-11 Thread 1 3/8"
142864	Weha Weramic Core Bit 5/8-11 Thread 1 1/2"
142865	Weha Weramic Core Bit 5/8-11 Thread 1 3/4"
142866	Weha Weramic Core Bit 5/8-11 Thread 2"
142867	Weha Weramic Core Bit 5/8-11 Thread 2 1/4"
142868	Weha Weramic Core Bit 5/8-11 Thread 2 3/8"
142869	Weha Weramic Core Bit 5/8-11 Thread 2 1/2"
142870	Weha Weramic Core Bit 5/8-11 Thread 2 3/4"
142871	Weha Weramic Core Bit 5/8-11 Thread 3"
142872	Weha Weramic Core Bit 5/8-11 Thread 3 1/4"
142871	Weha Weramic Core Bit 5/8-11 Thread 3 1/2"



Weramic Porcelain Ceramic Non Core Bit 5/8-11 Thread



Part#	Description	
142853	Weha Weramic Non Core Bit 5/8-11 Thread 1/4"	
142852	Weha Weramic Non Core Bit 5/8-11 Thread 3/16"	
142857	Weha Weramic Non Core Bit 5/8-11 Thread 5/16"	
139198	Weha Weramic Non Core Bit 5/8-11 Thread 3/8"	

CORE BITS

Weha Dry Magic Vacuum Brazed Core Bits

Weha Dry Magic Vacuum Brazed Core Bits are a Porcelain Core Bit, Ceramic Core Bit, Marble Core Bit, and Granite Core Bit all in one. The best vacuum brazed Dekton[®] Core Bit because it can be used wet or dry, minimal chipping, and no cracking of the Dekton[®]. Also, one of the best marble core bits for similar reasons. Virtually no chipping, minimal blowout on the bottom, fast drilling, and great life. Weha Vacuum Brazed Diamond Core Drill Bit drills cleanly dry with zero chipping. The vacuum brazing is on both the inside and outside of the barrel.



This special Vacuum II Brazed diamond technology allows an uncomplicated,

Part#	Description
135627	Weha Dry Magic 1/4" 6mm Vac Brazed Dry Diamond Non Core Bit
135628	Weha Dry Magic 5/16" 8mm Vac Brazed Dry Diamond Non Core Bit
135629	Weha Dry Magic 3/8" 10mm Vac Brazed Dry Diamond Non Core Bit
135630	Weha Dry Magic 1/2" 12mm Vac Brazed Dry Diamond Non Core Bit
135632	Weha Dry Magic 9/16" 14mm Vac Brazed Dry Diamond Non Core Bit
134489	Weha Dry Magic 3/4" 20mm Vac Brazed Core Bit
134491	Weha Dry Magic 1" 25mm Vac Brazed Core Bit
134493	Weha Dry Magic 1 1/4" 32mm Vac Brazed Core Bit
134495	Weha Dry Magic 1 3/8" 35mm Vac Brazed Core Bit
134498	Weha Dry Magic 1 1/2" 40mm Vac Brazed Core Bit
136602	Weha Dry Magic 1 3/4" 60mm Vac Brazed Core Bit
134499	Weha Dry Magic 2" 50mm Vac Brazed Core Bit
134500	Weha Dry Magic 2 3/8" 60mm Vac Brazed Core Bit
134501	Weha Dry Magic 2 11/16" 68mm Vac Brazed Core Bit

hands-free and clean drilling on angle grinders. The vacuum diamond coating allows fast drilling with extremely clean, chip, free holes. The Weha Vacuum Brazed Core Bits are designed to drill hard and brittle materials such as ceramics, porcelain, marble, granite, stone materials. Also materials such as stoneware, glazed clinker and hard roof tiles can also be drilled.

» May be used wet » Recommended RPM: 3000-11000

» 5/8x11 thread

» Dry use

Weha Dry Magic Hex Core Bits for Electric and Cordless Drills

Weha 1/4" 6mm Dry Magic Vacuum Brazed Hex Head Non Core Bits are made to drill in ceramic, porcelain, granite, marble, quartz, and all natural and engineered stones. These vacuum brazed drill bits are made to be used on Cordless and Electric Drills. The shaft is hexagon shaped to fit all cordless and electric drills. This keeps the diamond drill bit from spinning while drilling. The Dry Magic Hex Head Core Bits can be used wet or dry and can be run from 700-6,000 rpm.

Part#	Description	
121812	Weha Dry Magic 1/4" 6mm Hex Core Bits	
121813	Weha Dry Magic 5/16" 8mm Hex Core Bits	
121845	Weha Dry Magic 3/8" 10mm Hex Core Bits	
125526	Weha Dry Magic 1/2" 12mm Hex Core Bits	
121865	Weha Dry Magic 9/16" 14mm Hex Core Bits	



CORE BITS

ROCKPECKER

CNC 1/2 Gas

Weha RockPecker CNC Diamond Core Bits

Weha RockPecker 1/2 Gas CNC Core bit has been designed specifically for granite, quartz, quartzite, engineered stone, limestone, travertine, concrete, soapstone, and other natural stone materials. The Weha RockPecker CNC core bits work excellent on all CNC machines such as Breton, Northwood, Park Industries, and other cnc machines.

The RockPecker CNC core bits have been built to core perfectly smooth, chip free

Part#	Description	
142883	Weha RockPecker CNC Core Bit 1/2 Gas 1 1/4" - 32mm	
139329	Weha RockPecker CNC Core Bit 1/2 Gas 1 3/8" - 35mm	
142887	Weha RockPecker CNC Core Bit 1/2 Gas 1 1/2" - 38mm	
140820	Weha RockPecker CNC Core Bit 1/2 Gas 1 3/4" - 45mm	
142918	Weha RockPecker CNC Core Bit 1/2 Gas 2" - 51mm	
142919	Weha RockPecker CNC Core Bit 1/2 Gas 3" - 76mm	

holes on all thickness materials. With a 1mm thick rim, These thin wall core bits will drill very clean and fast.

- » Total length: 4 3/16" (106mm)
- » Drilling depth: 2 9/16" (65mm)
- » 1/2 Gas male CNC Thread
- » Recommended RPM: between 750-2800 rpm
- » Feed rate: between 3"-4" per minute

5/8-11 Thread

Weha RockPecker Diamond Core Bit - Wet Use

The Weha RockPecker Core Bit is made specifically for drilling holes in granite, quartz, engineered stone, quartzite, marble, limestone, travertine, concrete, and other stone.

With only a 2mm thick diamond rim, will "bite" into the stone

Part#	Description
142890	Weha RockPecker Core Bit 1/2" - 14mm
142892	Weha RockPecker Core Bit 3/4" - 20mm
142893	Weha RockPecker Core Bit 1" - 25mm
142895	Weha RockPecker Core Bit 1 1/4" - 30mm
139132	Weha RockPecker Core Bit 1 3/8" - 35mm
142896	Weha RockPecker Core Bit 1 1/2" - 40mm
142897	Weha RockPecker Core Bit 1 3/4" - 45mm
142899	Weha RockPecker Core Bit 2" - 50mm
142900	Weha RockPecker Core Bit 2 1/2" - 60mm
142901	Weha RockPecker Core Bit 3" - 80mm
142902	Weha RockPecker Core Bit 4" - 100mm

quickly and drill fast through the

stone. These wet diamond core bits are made with a special bond that favors the hardness of quartz materials, along with the resin that they are made with, to drill very fast and very clean.

- » Wet only
- » Diamond Wall Thickness: 2mm
- » Total length: 3 3/8" (85mm)
- » Total Drilling depth: 2" (50mm)
- » 5/8-11 Thread
- » Recommended RPM: between 1800-4500 rpm

Part#	Description
142888	Weha RockPecker Non Core Bit 1/4" - 6mm
142889	Weha RockPecker Non Core Bit 3/8" - 10mm

CORE BITS

Weha Blitz High Speed Dry Core Bits

Weha 11/2" High Speed Diamond Core bit for granite, marble, guartzite, guartz, engineered stone, concrete counter tops, and all natural stone. With diamonds both inside and outside the barrel to reduce drag, heat, and friction, along with high diamond content segments, the Weha dry diamond core bits will drill holes in 3cm granite in less

Part #	Description	
20136	1"x4"x5/8-11 High Speed Dry Core Bit-Dry	
20137	1 1/4"x4"x5/8-11 High Speed Core Bit-Dry	
20138	1 3/8"x4"x5/8-11 High Speed Core Bit-Dry	
20139	1 1/2"x4"x5/8-11 High Speed Core Bit-Dry	
20140	1 3/4"x4"x5/8-11 High Speed Core Bit-Dry	
20141	2"x 4"x 5/8-11 High Speed Core Bit-Dry	

than 30 seconds. The Weha **High Speed Diamond Core Bits** are built to be the best dry diamond core bit for granite and engineered stone counter top faucet hole drilling.

But they can also be used wet with Air Polishers in shop applications.

Weha Puma T Segment Core Bits with Side Diamonds

The Weha Puma T segment Core bits are designed for fast cutting of granite, guartz, marble, and even guartzite.

Made with a T segment that drops into the steel body allows the Puma Core Bit to take even greater abuse while drilling by hand into stone. This great reduces the likely hood of a segment breaking off when "wobbling" the core bit during the drilling process.

The Weha Puma T Segment has a full drilling depth of 2 3/4" when the segment is worn completely down. This gives plenty of drilling depth for all counter top applications but short enough to offer solid control when drilling. » Thread: 5/8"x11

Part #	Description
5368	Puma 1" T Seg Core Bit
5369	Puma 1 1/4" T Seg Core Bit
5370	Puma 1 3/8" T Seg Core Bit
5371	Puma 1 1/2" T Seg Core Bit
5372	Puma 1 3/4" T Seg Core Bit
5373	Puma 2" T Seg Core Bit

» Total Length: 4"

- » Max RPMs: 6500
- » Use wet or dry

Weha Water Rings

Weha Water rings are designed to create a vacuum to the stone to hold water while drilling holes on the job site.

Part #	Description	
4521	Weha Water Ring 3"	

This adapter has 5/8-11 male thread on one end and M14 female on the other. This Adapter allows hand tools with M14 thread spindle to use diamond tools with 5/8-11 female threads. It has a center water hole to allow water to run from the spindle through the adapter.

Part#	Description
4523	Weha 5/8-11 to M14 Threaded Adapter
4525	Weha M14 to 5/8-11 Threaded Adapter

Weha 3/8" Shaft x 5/8-11 Threaded Adapter

Weha 3/8" Shank x 5/8-11 threaded adapter is perfect for turning any 5/8-11 female threaded tool into a 3/8" shank that can be used on cordless drills, electric drills, drill presses, etc. 3/8" male shank to a 5/8-11 threaded male.

Part#	Description	
4524	Weha 3/8" Shaft x 5/8-11 Threaded Adapter	





www.wehausa.com • 1-877-315-4761 • info@wehausa.com

Weha Resin Filled Zero Tolerance Wheels

Weha Diamond Zero Tolerance Drums are premium quality zero tolerance wheels that perform with the best brand names in the industry. Each individual Zero Tolerance Wheel is perfectly balanced to make sure runs true with no bouncing. As an aggressive stock removal tool, the Weha Resin Filled Zero Tolerance Wheel is designed to rapidly remove stock to get the counter top to the exact line needed for polishing or shaping. May be used wet or dry.

Part #	Description	
30210	1"x1 1/2" 5/8"-11 thread Zero Tolerance Wheel Coarse	
30211	2"x1 1/2" 5/8"-11 thread Zero Tolerance Wheel Coarse	
30211M	2"x1 1/2" 5/8"-11 thread Zero Tolerance Wheel Medium	
30212	3"x1 1/2" 5/8"-11 thread Zero Tolerance Wheel Coarse	
30212M	3"x1 1/2" 5/8"-11 thread Zero Tolerance Wheel Medium	

Weha Vacuum Brazed Zero Tolerance Wheels - Top Bearing

The Weha 2" Vacuum Brazed Zero Tolerance Wheel Coarse Top Bearing with 5/8"-11 thread is excellent for shaping and dressing up granite and natural stone.

The great advantage of using Vacuum Brazed Zero Tolerance Cutters is that they will not lose their shape, they can be used dry or wet with the center water feed holes.

Vacuum Brazed Zero Tolerance wheels offer virtually chip free stock removal. Zero Tolerance wheels are much safer than using Silicon Carbide Cup wheels.

Part#	Description	
30215	Weha 2"x2" 5/8"-11 thread Vac Brazed Zero Tolerance Wheel Top Bearing	
30216	Weha 3"x2" 5/8"-11 thread Vac Brazed Zero Tolerance Wheel Top Bearing	

Weha Vacuum Brazed Zero Tolerance Wheels - No Bearing


The Weha 2" Vacuum Brazed Zero Tolerance Wheel Coarse Top Bearing with 5/8"-11 thread is excellent for shaping and dressing up granite and natural stone.

The great advantage of using Vacuum Brazed Zero Tolerance Cutters is that they will not lose their shape, they can be used dry or wet with the center water feed holes.

Vacuum Brazed Zero Tolerance wheels offer virtually chip free stock removal. This means you can remove stone all the way to the line without the worry of blowout.

By not having a bearing on top, the Weha Vacuum Brazed Zero Tolerance wheel is the best choice for use by hand tool or with a radial arm with no template.

Part#	Description	
30198	Weha 1"x2" 5/8"-11 thread Vac Brazed Zero Tolerance Wheel Coarse - No Bearing	
30205	Weha 2"x2" 5/8"-11 thread Vac Brazed Zero Tolerance Wheel Coarse - No Bearing	
30207	Weha 3"x2" 5/8"-11 thread Vac Brazed Zero Tolerance Wheel Coarse - No Bearing	



- » Aggressive stock removal » Cen
- » Smooth finish
- » Long life

- » Resin filled
- » Center water feed
- » Wet or dry use
 - » 10,000 rpm





» For use with hand tool

» Max RPM: 4000

» Radial arm with no template



ZERO TOLERANCE

FINGER TIPS

Weha Puma Radial Arm Finger Tip

Weha PUMA Radial Arm Finger Tip for granite, marble, guartz, guartzite, engineered stone counter top sink and vanity bowls

Weha Radial Arm Finger Tip is a high performing diamond tip for cutting out granite sinks, marble vanity bowls, quartz bowls, and other granite and stone hole applications with radial arm machines.

With fast cutting speed, the Weha Finger Tip will cut up to 20 bowls while leaving the bowl ready for polishing pad use.

The Weha Radial Arm Finger Tip is made for all Radial Arm Machines such as Thibault[®], Wizard[®], Fabking[®], Scorpion[®], and other radial arm machines.

This incremental cutting finger tip is designed to follow the sink or vanity bowl template and work around the template on the stone to grind down the granite sink or vanity bowl. This will leave the stone perfectly straight and ready for profiling and polishing.

The Weha Radial Arm Finger Tip comes with a 12mm thread that can fit all Radial » 20mm x 20mm x 14mm thread Arm Finger Tip 1/2 Gas Adapters that are 12mm female thread. This makes it very easy to switch over to premium quality Weha Radial Arm Finger Tips!

Part#	Description	
30535	Weha Puma Radial Arm Finger Tip	
30536	Weha Puma Radial Arm Finger Tip Reverse Thread	



- » Designed for radial arm machines
- » Cutting bowls
- » Used with a 1/2 gas adapter
- » Very fast cutting
- » No glazing over

Radial Arm Finger Tip

Radial Arm Finger Bit Tip for granite, marble, guartz, guartzite, engineered stone counter top sink and vanity bowls

Weha Radial Arm Finger Bit Tip is a high performing diamond tip for cutting out granite sinks, marble vanity bowls, quartz bowls, and other granite and stone hole applications with radial arm machines.

With fast cutting speed, the Weha Finger Bit Tip will cut up to 15 bowls while leaving the bowl ready for polishing pad use.

The Weha Radial Arm Finger Bit Tip is made for all Radial Arm Machines such as Thibault[®], Wizard[®], Fabking[®], Scorpion[®], and other radial arm machines.

This incremental cutting finger bit is designed to follow the sink or vanity bowl template and work around the template on the stone to grind down the granite sink or vanity bowl. This will leave the stone perfectly straight and ready for profiling and polishing.

The Weha Radial Arm Finger Bit comes with a 12mm thread that can fit all Radial Arm Finger Bit 1/2 Gas Adapters that are 12mm female thread. This makes it very easy to switch over to premium quality Weha Radial Arm Finger Tips!

Part #	Description	
30515	Radial Arm Finger Tip	
30520	1/2 Gas x 14mm Thread Adapter for Radial Arm Finger Tip	
30515R	Radial Arm Finger Tip - Reverse Thread	
30520R	1/2 Gas x 14mm Thread Adapter for Radial Arm Finger Tip - Reverse Thread	



- » 20mm x 20mm x 14mm thread
- » Designed for radial arm machines
- » Cutting bowls
- » Used with a 1/2 gas adapter #30520

FINGER BITS

Weha Top Sprinter CNC Finger Bit

The Weha Top Sprinter is a modified 8 segment cnc finger bit for granite, marble, engineered stone.

The Top Sprinter's sweet spot is between 12"-20" per minute between 5,000-5800 rpm, depending on the stone being used. The life will be excellent, the wear will be even, and the bit will provide an all around well performing finger bit on practically all stone that is run through the CNC.

- » Feed rate: 12"-20" per minute
- » RPM: 5000-5800
- » 8 segment (4 double segments)
- » 40mm x 20mm x 8 seg

Part #	Description
133915	Weha Top Sprinter CNC Finger Bit 40mm x 20mm x 8

OMA HS8 8 Segment Finger Bit

The OMAHS8 high speed finger bit is an 8 segment finger bit that can run 12"-40" per minute. Made in Italy by OMASystem, the OMAHS8 can accommodate all fabrication needs. For fast production, run as fast as 9200 rpm to achieve 40" per minute. To achieve optimum life and best performance on granite, quartz, engineered stone, and marble run 4800-5000 rpm at 16-18" per minute. This will result in the best life of the finger bit.

- » Feed rate: 12"-40" per minute
- » RPM: 4800-9200
- » Total Length: 82mm
- » 40mm x 20mm x 8 segment

Part #	Description
XTBIT3HS8	OMA 22mm x 40mm x 8 Seg Finger Bit

Weha Top Racer CNC High Speed Finger Bit

The Weha Top Racer diamond CNC high speed finger bit is a premium high speed diamond cnc finger bits for high speed production. The Weha Top Racer High Speed Finger Bit is unbelievable on granite, marble, and especially engineered stone, quartz materials. The faster you run the Top Racer, the better it performs!

- » Feed Rate: 24" 36" per minute
- » RPM: 5500-8500
- » 8 segments
- » 20mm x 40 mm dimensions

Part #DescriptionC5002835Weha 20mm x 40mm x 8 Seg Red Top Racer

AIR TOOLS & HAND TOOLS

Weha Rock Dog Single Speed Router with Aquaplaning Base

The Weha Rock Dog Router is a 9000 RPM single speed Router that can profile practically any edge that comes through the shop.

Whether you need a router for granite, marble, quartz, quartzite, or any other stone, the Rock Dog Router can get it done.

Made with a Unibody Aircraft Aluminum housing, the Rock Dog is a super smooth 9000 rpm profile router that can get the job done fast.

With a 2.4 HP 220 Single Phase motor, the Rock Dog can profile up to 6cm without any worries whatsoever.

The Rock Dog Router comes with an aquaplaning base for easy movement across the surface.

The 22mm x 10mm thread spindle accommodates practically all router bits on the market.

The Rock Dog comes with a 20' long heavy 12 gauge AWF with ground power cord that can handle the load.

The water connection is a quick disconnect for easy connection to the shop water lines.

12 Month Warranty • Water Quick Disconnect Fits Router Bits with a 22mm Shaft • 10mm Thread

- Specifications:
 - » Spindle: Stainless Steel
 - » Rotation Speeds: 9,000 rpm
 - » Rise and Fall: 1.18"
 - » 22mm Shaft with 10mm bolt thread
 - » Frame: Unibody 1 piece Aircraft Aluminum Housing
 - » Power: 2.4HP

Part #	Description
9000	Weha Rock Dog Single Speed Router

- » Supply Power: 230V / 60HZ / Single Phase
- » Water Quick Disconnect
- » Thermal Overload Safety Cut-out
- » Base: Aquaplaning System
- » Machine Length: 22", Width: 13.7", Height: 15"
- » Machine Weight: 77 lbs

Weha Continuous Rim Router Bits

Weha continuous rim router bits are the best for profiling and routing granite, marble, quartz, engineered stone, and concrete countertops. These continuous rim bits are high concentrated diamond bits that cut fast, last long, and leaves the stone smooth and chip free. Comes with 2 thread size bolts to fit all routers.

Weha Vacuum Brazed Profile Bits

Weha Vacuum Brazed Profiler bits are outstandingly high quality vacuum brazed profiler bits that will profile quickly and smoothly on marble, granite, stone materials. They can be used on handheld tools with center water feed. May also be used with standard grinders with external water applied. The Weha Hand Profiler comes with a heavy density rubber guide to prevent scratching on the surface. The Weha Vacuum Brazed Profile Bits comes with 5/8-11 thread for grinders.

PLEASE VISIT WWW.WEHAUSA.COM OR CONTACT WEHA USA FOR SIZES AND AVAILABILITY





Weha Rear Exhaust Air Polisher

The Weha Rear Exhaust Center Water Feed granite and stone Air Polisher is a premium quality air polisher designed to work in granite and stone fabrication shops 24 hours a day, 7 days a week. Will not lose power during the granite and stone polishing process.

- » Rear exhaust muffler
- » Reversible side handle
- » Spindle-thread: 5/8-11"
- » Air required: 16 CFM @ 90 psi

Part #	Description
138251	Weha Rear Exhaust Air Polisher

Weha WH185 5" High Speed Waterfed Air Grinder & Cutter

The Weha WH185 5" High Speed Air Grinder and Cutter is a Front Exhaust air grinder and air cutter that is made to endure the tough environments of a granite fabrication shop.

The WH185 accepts up to a 5" blade, 5" Contour Blade, Diamond Cupwheels, Zero Tolerance wheels, etc. The external water feed supplies water to both sides of the blade, diamond cup wheel, etc to keep plenty of water on the material. The WH185 also comes with center water feed through the spindle for zero tolerance wheels, and other center water feed (attachments.

Specifications:

- » Length: 18.5"
- » Weight: 4.5
- » Max Blade: 5"
- » Max RPM: 11,000
- » Operating Pressure: 90 PSI
- » Air Consumption: 9.8CFM
- » Spindle Thread: 5/8-11
- » Water: 2 External and 1 Internal

Part # Description 143286 Weha WH185 5" High Speed Air Grinder & Cutter

Weha Speedy Water Fed Air Polisher

The Weha Speedy Side Exhaust Center Water Feed Granite Air Polisher is a solid, well built side exhaust air polisher for polishing granite, marble, engineered stone, quartz, and all natural stone and concrete counter tops. Made with upgraded premium bearings to run 24 hours a day.

- » 5/8-11 Thread
- » Max. Speed: 4500 rpm
- » Weight: 2.6 lbs
- » Air Consumption: 16 CFM @ 90 psi

Part # Description 140800 Weha Speedy Water Fed Air Polisher

10, 90, 90+ warranty: 10 day Replaces the tool 90 day Warranty repair 90+ days repaired at cost

> Can be also be run without water

and carry case. » Max speed: 5000 rpm

» Weight: 3.5 lbs Comes with a wrench, T-Grip » Front handle T-Grip handle, clip on water, dust shield » Center water feed





31



AIR TOOLS & HAND TOOLS

Warranty:

» Air Inlet: 1/4"

» Side exhaust

» Center water feed

AIR TOOLS & HAND TOOLS

Weha Stone Chisel

Fully automatic production of chiseled edges by breaking the slab edge. Faster processing in comparison with the traditional method. Improved ergonomic construction. Adjustable tool according to the slab thickness.

- » Slab Thickness: Up to 1 5/8"
- » Length: 14"
- » Width: 11"
- » Height: 11.5"
- » Air Pressure: 120 PSI
- » Air Req. per Stroke: 4 CFM
- » Weight: 32 lbs

Part #	Description
7264116	Weha Stone Chisel





the second s

Weha T-31 Anchor Machine Kit for Bowls & Vanities

The Weha T-31 Anchor Machine is a completely new concept when compared to existing T-31 Anchor Machines. All T-31 Anchor Machines on the market require the stone to be flipped over and the T-31 anchor slots be cut with the machine sitting on top of the bottom of the stone. Most of the T-31 Anchor Machines use a vacuum suction plate that must vacuum to the stone and then cut the anchor slot.

The Weha T-31 Anchor Machine does not require the stone to be flipped over to cut the Anchor Slots. Once the counter top or vanity is on the work table then cut out and polished, simply put the T-31 Anchor machine inside the bowl, slide in the Anchor machine to the depth that you need, and make the anchor slot. This drastically speeds up the time it takes to make the slots, reduces labor to flip the counter top, cuts down one less time of handling the counter top and reduces the risk of breaking the top.

The T-31 Anchor Machine can also be used upside down to make anchor slots on top. If you cut out a vanity or sink on a cnc machine with the top face down, before you remove the top from the pods you can easily take the T-31 Anchor Machine and cut out the slots before it ever leaves the cnc. If the top is completely polished, this would eliminate any need to put it on a work table to cut the anchor slots. Kit Includes:

- » 1 bag (50 pcs) of Z Brackets
- » 1 bag (50 pcs) of T Anchor Bolts 3/16" x 1/4" x/ 11/2" - Stainless Steel
- » 2 pieces of T-31 Anchor Bits 3/16" x 1/4"

Part #	Description	
141469SET	Weha T-31 Anchor Machine Kit	
138402	Weha Z Bracket Sink Clip (bag of 50 pcs)	
142817	Weha T Stainless Steel Anchor Bolts (bag of 50 pcs)	
30151	Weha T-31 Anchor Bit (1 pc)	
30152	Weha T-31 Anchor Bit (1 pc) for 2cm material	

CHECK OUT VIDEOS ONLINE @ www.wehausa.com







TRANSPORT

Weha Double Sided Transport A-Frame


8010484

Weha Large 8' Double Sided A-Frame

Weha Double Sided Transport A-Frame Carts are the world standard for Stone Material Handling Transport Equipment for granite and stone counter tops and islands. The Weha Double Sided Transport A-Frame Cart is the safest way to get granite delivered to the job site.

The quality of the Weha Granite Transport Carts are unmatched. Other companies try to imitate the Weha Transport Carts but they simply cannot match the quality and longevity of the Weha Transport A-Frame Carts.

Solid galvanized steel for years of use. Fully replaceable rubber. Redesigned with slots for optional wheels.



www.wehausa.com • 1-877-315-4761 • info@	wehausa.com

8010487

Weha Shorty Double Sided A-Frame

TRANSPORT



Weha 6' Double Sided A-Frame Transport Cart

- » Load Capacity: 4410 lbs (2205 lbs per side)
- » Total Length: 78"
- » Total Height: 58"
- » Total Width: 43"
- » Upright and Straps: 8 (4 per side)
- » Load Height: 48"
- » Width of Contact Surface: 16"
- » Forklift Receivers on all sides
- » Weight: 310
- » Total Replacement Rubber: 73'
- » Wheels sold separately

Part #	Description
8010480	Weha 6' Double Side A-Frame

Weha Double Sided Transport A-Frame EXTRA TALL - 8'

The Weha Extra Tall granite Large Double Sided Transport A Frame Racks have been rated as the best transport A frame stone material handling equipment on the market!

Designed for granite, marble, engineered stone, quartz, soap stone, travertine, onyx, and all other natural stone counter top and island pieces Designed to store and transport full extra large stone counter tops and island pieces.

Also great for other sheet goods such as glass, aluminum, metal, etc. Solid galvanized steel for years of use.



- » Total length: 94"
- » Total height: 94"
- » Total width: 43"
- » Load capacity: 4410
- » Comes with 4 safety posts that mount on both sides (2 per side) of the A frame.
- » Fully replaceable rubber
- » Welded 1 piece frame system with eye hooks at the top for crane lift
- » The base and uprights come with replaceable rubber to prevent scratches.
- » Does NOT come with the upright poles so ratchet straps will be needed (sold separately).

» Wheels sold separately

Part #	Description
143363	Weha Extra Tall Double Sided A-Frame



TRANSPORT

Weha Single Sided Transport A-Frame

Weha manufactures 3 different size Singe Sided A-Frame carts for granite, marble, engineered stone, and all natural stones. Weha Single Sided A-Frame Carts are excellent for transporting finished counter tops and islands in box vans. The back side of the Weha Single Sided A-Frame Carts can be placed flat against the walls, leaving plenty of room to load the vans as well as access tools throughout the truck. *Wheels sold separately.*



Weha Small 78" x 56" Single Sided A-Frame Cart

- » Load Capacity: 2205 lbs
- » Total Length: 78"
- » Total Height: 56"
- » Total Width: 26"
- » Upright and Straps: 5
- » Load Height: 48"
- » Width of Contact Surface: 16"
- » Forklift Receivers
- » Weight: 198 lbs
- » Total Replacement Rubber: 48'

The Weha Single Sided A-Frame is excellent for install vans, box trucks, as well as for in shop use and can easily be placed against walls for saving space. At only 26" wide, it allows plenty of room in vans and box trucks for additional install equipment. Made of European Hot Dipped Galvanized steel. Manufactured by Weha Germany. Comes with forklift receivers for easy moving. The base and uprights come with replaceable rubber to prevent scratches. Comes with 4 upright and tie down straps for secure transport.



Weha Large 94" x 81" Single Sided A-Frame Cart

- » Load Capacity: 2205 lbs
- » Total Length: 94"
- » Total Height: 81"
- » Total Width: 25"
- » Upright and Straps: 5
- » Load Height: 78"
- » Width of Contact Surface: 16"
- » Forklift Receivers
- » Weight: 220 lbs
- » Total Replacement Rubber: 82'

The Weha Large Singe Sided A-Frame is excellent for transporting finished countertops and islands in box vans.

Excellent in the shop near bridge saws or cnc machines. It can be placed right against the wall and be used for storing scheduled jobs. It comes with: Forklift receivers. 5 Upright poles with straps for locking in and securing the stone during transport or for shop safety storage. All pieces that would come in contact with stone are lined with replacement rubber for protection against damage and scratches.



Weha Large 94" x 71" Single Sided A-Frame Cart

- » Load Capacity: 2205 lbs
- » Total Length: 94"
- » Total Height: 71"
- » Total Width: 25"
- » Upright and Straps: 5
- » Load Height: 65"
- » Width of Contact Surface: 16"
- » Forklift Receivers
- » Weight: 220 lbs
- » Total Replacement Rubber: 81'

The Weha Large Singe Sided A-Frame is excellent for transporting finished countertops and islands in box vans.

Excellent in the shop near bridge saws or cnc machines. It can be placed right against the wall and be used for storing scheduled jobs. It comes with: Forklift receivers. 5 Upright poles with straps for locking in and securing the stone during transport or for shop safety storage. All pieces that would come in contact with stone are lined with replacement rubber for protection against damage and scratches.

Part #	Description
8010483	Weha Single Sided A-Frame 78" x 56" Tall
800002	Weha Single Sided A-Frame 94 " x 81" Tall
133321	Weha Single Sided A-Frame 94" x 71" Tall

TRANSPORT

Caster Wheels for New Weha A-Frame Transport Carts

The Weha Transport A-Frame Cart Wheels are the latest design for Weha Transport Carts.

These wheels slide up into granite A-Frame base receivers. Effortlessly move the Weha Transport A-frames throughout the shop. The Weha conversion kit consists of 2 locking swivel casters and 2 fixed castors.

Part #	Description
133275	8" Diameter Caster Wheels Set of 4: 2 fixed/2 swivel

Weha Roll Block for Transport A-Frame Carts

Part #	Description
132569	Weha Roll Block

Easily load and unload slabs from transport carts. Made of galvanized steel.



» Max weight capacity: 2,000

Weha Backsplash Attachment

Fits all Weha Transport Carts. Galvanized with rubbing lining. Holds backsplashes for easy transport. Hold suction cup assemblies, 2x4, and other installation tools. Allows

Part #	Description
8010492	Backsplash Attachment: Set of 5

countertops on bottom of transport rack and backsplash on top.

Weha Replacement Upright

The replacement upright for the Weha Transport A-frames come complete with the galvanized pole, replacement strap and buckle, as well as brand new protective rubber and brass hook.

Part #	Description
8020730	Replacement Upright for 6' A-Frame 48" long
8020731	Replacement Upright for Large 8' A-Frame 58 1/2" long

Weha Replacement Strap and Buckle

Weha replacement strap and buckle for the A-Frame transport cart uprights. Comes with strap, brass hook and metal buckle.

Part #	Description
VD080188	Weha Replacement Blue Strap for A-Frame upright

Weha Replacement Rubber

Weha replacement rubber for the Weha transport A-frames are super easy to exchange. Simply pull out the used, worn rubber and snap the new rubber in place. Sold by the linear foot.

HOW MUCH RUBBER DO YOU NEED?

Replacement rubber is sold by the foot. Simply calculate the total number of feet that needs to be replaced. Weha will ship you a continuous roll based upon the number of feet you need. Then cut to specific length during installation.

Part #	Description
8020609FT	Replacement Rubber Black / sold per ft
119464FT	Replacement Rubber White / sold per ft
141865FT	Replacement Rubber Clear / sold per ft











Weha Welded Galvanized Granite Shop Cart 2000 lb Capacity

The Weha Granite and Stone Drywall Fabrication Shop Cart is welded and hot dipped galvanized for years of use. Weha has received numerous requests for a welded cart for greater stability.

The Weha Welded Granite Fabrication Shop Cart has been redesigned to work with the current slabs that are being fabricated. Now slabs are getting 65", 70", and even 80" tall. Traditional carts are not made to handle this height, as they will tip over much easier as the load gets higher.

The Weha Welded shop cart now has a wider wheel base with total width at 28". This additional width allows the full weight load of the taller slabs to stay between the wheels, drastically reducing the possibility of flipping over.

For standard slabs it becomes the safest drywall cart/shop cart on the market.

Specifications:

- » Overall Length: 48"
- » Overall Height: 49"
- » Overall Depth: 28"
- » Surface Deck: 14" x 44"
- » 38 1/2" from deck to top of shop cart
- » 2 swivel wheels
- » 2 fixed wheels
- » Weight capacity: 2000 lbs
- » Comes completely welded
- » Only assembly is attaching wheels

Part #	Description
145501	Weha Welded Galvanized Granite Shop Cart

Weha Galvanized Granite Shop Cart - Broken Down 2000 lb Capacity

The Weha Granite and Stone Drywall Fabrication Shop Cart is hot dipped galvanized for years of use. Comes broken down for less shipping costs.

The Weha Granite Fabrication Shop Cart has been redesigned to work with the current slabs that are being fabricated. Now slabs are getting 65", 70", and even 80" tall. Traditional carts are not made to handle this height, as they will tip over much easier as the load gets higher.

The Weha Broken Down shop cart now has a wider wheel base with total width at 28". This additional width allows the full weight load of the taller slabs to stay between the wheels, drastically reducing the possibility of flipping over.

For standard slabs it becomes the safest drywall cart/shop cart on the market.

Specifications:

- » Overall Length: 48"
- » Overall Height: 49"
- » Overall Depth: 28"
- » Surface Deck: 14" x 44"
- » 38 1/2" from deck to top of shop cart
- » 2 swivel wheels
- » 2 fixed wheels
- » Weight capacity: 2000 lbs
- » Comes broken down for less
- shipping cost.
- » Assembly required

Part #Description145502Weha Galvanized Granite Shop Cart - Broken Down

Weha Welded Blue Painted Granite Shop Cart 2000 lb Capacity

The Weha Blue Painted Granite and Stone Drywall Fabrication Shop Cart is welded. Weha has received numerous requests for a welded cart for greater stability.

The blue painted cart is a more economical alternative to the galvanized.

The Weha Welded Blue Painted Granite Fabrication Shop Cart has been redesigned to work with the current slabs that are being fabricated. Now slabs are getting 65", 70", and even 80" tall. The traditional carts are not made to handle this height, as they will tip over much easier as the load gets higher.

The Weha Welded shop cart now has a wider wheel base with total width at 28". This additional width allows the full weight load of the taller slabs to stay between the wheels, drastically reducing the possibility of flipping over.

For standard slabs it becomes the safest drywall cart/shop cart on the market.

Specifications:

- » Overall Length: 48"
- » Overall Height: 49"
- » Overall Depth: 28"
- » Surface Deck: 14" x 44"
- » 38 1/2" from deck to top of shop cart

» 2 swivel wheels

- » 2 fixed wheels
- » Weight capacity: 2000 lbs
- » Comes completely welded
- » Only assembly is attaching wheels

Part #	Description
145499	Weha Welded Blue Painted Granite Shop Cart

Weha Blue Painted Granite Shop Cart - Broken Down 2000 lb Capacity

The Weha Granite and Stone Drywall Fabrication Shop Cart is painted blue for a more economical option. Comes broken down for less shipping costs.

The Weha Granite Fabrication Shop Cart has been redesigned to work with the current slabs that are being fabricated. Now slabs are getting 65", 70", and even 80" tall. Traditional carts are not made to handle this height, as they will tip over much easier as the load gets higher.

The Weha Broken Down shop cart now has a wider wheel base with total width at 28". This additional width allows the full weight load of the taller slabs to stav between the wheels, drastically reducing the possibility of flipping over.

For standard slabs it becomes the safest drywall cart/shop cart on the market.

Specifications: Overall Length: 48"

- » Overall Height: 49"
- » Overall Depth: 28"
- » Surface Deck: 14" x 44"
- » 38 1/2" from deck to top of shop cart » Comes broken down for less
- » 2 swivel wheels
- » 2 fixed wheels
- » Weight capacity: 2000 lbs
- shipping cost.
 - » Assembly required

Part #	Description
145500	Weha Welded Galvanized Granite Shop Cart

www.wehausa.com •	1-877-315-4761 · info@wehausa.com
-------------------	-----------------------------------

weha

Weha Yellow Shop and Install Buggy

The Weha Yellow Shop and Install Buggy is great for moving pieces around the shop as well as doing installs. It is compact, easy to move and carries up to 2,000 lbs. Made for moving granite, marble, guartz, guartzite, and any other cut pieces. It comes with 10mm thick protective rubber on the bottom as well as the back so scratches or chips are prevented. The Weha Yellow Shop and Install Buggy has 2 back 10"pneumatic wheels and 2 5" swivel casters with break locks for easy maneuvering. Painted in the Weha safety yellow color, the Weha Yellow Shop Buggy is clearly seen in the shop and especially on the job site for added safety

The Weha Yellow Shop and Install Buggy allows up to 7" of stone storage.

Specifications:

- » Overall Length: 40"
- » 35" Rubber height from base to top of rubber (however larger pieces can go above this)
- » Overall Height: 45" » Overall Depth: 24"
- » Load Capacity: 2000 lbs

Part #	Description
142613	Weha Yellow Shop and Install Buggy



Weha Universal Stone Buggy Shop and Install Cart

The Weha Universal Stone Buggy Shop Cart is a great in-shop buggy for storing tops, remnants and back splashes. Made of heavy steel tubing, with powder coated surfaces, the wheels are placed outside the frame for better stability. 2 pneumatic and 2 locking casters. Solid base for all size pieces. Replaceable rubber coated uprights. Also comes with 6 removable, rubber coated steel tube stops with 4 height adjustment shelves built into the frame. This allows for multilevel storage. Excellent for back splashes! Easily store a complete job: counter top on the bottom, back splashes on top! Also an outstanding installation cart. Perfect for commercial and residential applications.

Specifications:

- » Length: 55"
- » Height: 42"
- » Load Width: 9"
- » Width: 28"
- » Load Capacity: 1105 lbs

Part # Description

8010159 Weha Universal Stone Buggy and Install Cart

Weha V Cart Flip Cart 2200 lb Capacity

The Weha V Cart Flip Cart is made for moving stone from bridge saws to CNC machines, line machines, etc. The V Cart Flip Cart is made to flip the stone from the polished side to the back side and vice versa.

All 4 posts are removable with 8 different post positions.

Specifications:

- » Dimensions: 38" x 36" x 59 1/2"
- » 4 Posts: 2 x 2 x 47 1/2" Square Tube Posts lined with rubber
- » Spread at bottom between posts for stone placement: 9 1/2"

» 8 receivers for posts

- » Wheels: 8" diameter. 2 fixed and 2 swivel locking
- » Inside width of storage A-Frame base: 4 ¼" with 1" side ledges

Part # Description 137206 Weha V Cart Flip Cart 2200 lb Capacity



Weha Cut Stone Double Sided Trolley

The design of the Weha Cut Stone Trolley allows a back-friendly placement of workpieces. By tilting the side adjustable strut you can store shorter workpieces.

The pull bar is hooked in upright position when not in use and is therefore not in the way. The Double Sided Granite Cart is made out of hot dipped galvanized steel for years of use. This extremely heavy duty stone cart can load islands, standard tops, even with a bowl already installed.

The Weha Galvanized Granite Cart has 11" hard rubber wheels that roll super easy through the shop. With a built in pull handle, it makes moving loaded islands and counter tops super easy.

» Load ca » Total he » Total w » Total le	idth: 42"	 » Wheels: two fixed and two swivel » Tire size: 11" » 2" x 1 1/8" wood struts 	
Part #	D	Description	
8010143	Weha Cut Stone Dou	uble Sided Trolleyt	

Weha Yellow 2 Wheel Install Stab Dolly 1100 lb Capacity

The Weha yellow 2 Wheel Slab Dolly is a great install dolly for bringing in larger pieces and islands. Special 10" Rubber tires with weight capacity of 1100 lbs give this granite install dolly plenty of weight lifting power to handle any install. The stone channel comes with a wood bed for the stone to rest against. The stone channel is also 3 1/2" wide to accommodate laminated tops. The Weha 2 wheel granite install dolly is painted safety yellow for easy visibility for loading and moving. This dolly will also work great for glass, metal, drywall and other sheet goods.

- » Dimensions: 20" x 4" x 10"
- » C channel load width: 3 ½"
- » 10" pneumatic tires
- » Weight capacity: 1100 lb capacity

Part #	Description
137203	Weha Yellow 2 Wheel Install Slab Dolly

Weha Safety Yellow Slab Dolly with 4 Wheels 700 lb Capacity

The Weha yellow 4 Wheel Slab Dolly is a great install dolly for bringing in larger pieces and islands. Special rubber tires with weight capacity of 700 lbs give this granite install dolly a unique advantage. The Blue 8" tires offer a special rubber that keeps marks off the floor while installing. The $3\frac{1}{2}$ " stone channel comes with a wood bed for the stone to rest against. The Weha Granite Install Dolly is painted safety yellow for reha easy visibility for loading and moving. Although the granite dolly comes with the 2 extra balance casters, they do not have to be installed. Or only 1 can be installed. This is a personal choice and preference. This dolly will also work great for glass, metal, drywall and other sheet goods.

Part #	Description
137636	Weha Yellow 4 Wheel Install Slab Dolly

Specifications:

- » 40" x 4" x 8"
- » Tire Diameter: 8"
- » C channel load width: 3 ¹/₂"
 - » Weight capacity: 800 lb capacity



WORK TABLES

Weha Yellow Fabrication Work Table Adjustable Height from 34" to 44"

The Weha Fabrication Stand is made is a great way to fabricate counter tops in the shop. Use as many as you need for each and every job.

The Weha Fab Stands are excellent for job layout, L Pieces, and making sure multiple pieces lay out perfect and match up to the template.

Easy to move around, the Weha Fabrication Stands can be used throughout the shop in many different areas.

At 25" wide, the Weha Fab Stand supports the full with of a counter top. The Weha Fabrication Stand adjusts from 34" up to 44".

Made in high visibility safety yellow paint, the Weha Fabrication Stand is easy to load and not trip over.

Not only for the shop, but the Weha Fab Stand can be taken to the job site for finishing up the install.

The Weha Fab Stands are stackable for transport to the job site and to save space in the shop when not in use.

Part #	Description
137235	Weha Yellow Fabrication Work Stand
13/235	vvena vellow Fabrication vvork Stand






Weha Sink Cut Out Stand

Weha heavy duty Sink Cut Out Stand and Stone Support Stand is designed to slide under the sink and vanity cut out to support the cut out from dropping and most importantly from breaking the countertop during the cut out fabrication process. Also use the Sink Cut Out Stand to Support job layout, larger islands that hang over the work tables, or take on the job site for extra hands.

Specifications:

- » Fully adjustable height from 23" to 41 1/4"
- » Base and top: 12" x 12" to fully support the stone
- » Double screw bolt tightening
- » Weight: 8 lbs





Part #	Description
138721	Weha Sink Cut Out Stand



WORK TABLES

Weha 27" Yellow Wood Top Insert Counter Top Work Table

The Weha 27" Wood Top Insert Work Table is made specifically for fabricating granite, marble, and stone counter tops, vanities, bar tops, etc. The Weha Counter Top Work Tables are made out of solid steel that will support 2cm, 3cm, and laminate granite, engineered stone, guartz, quartzite, and all stone without any problems at all.

The Weha Work Table has a 29 1/2" x 24" center opening that allows for bowl cutouts and polishing. With a weight capacity of 882 lbs, practically any piece of granite or stone can be put on the Weha fabrication work tables. Push 2 of the Weha Granite Work Tables together and an island can easily be fabricated and polished.

Specifications:

- » Load Capacity: 882 lbs
- » Length: 84"
- » Width: 27"
- » Height: 40"
- » 24" x 29 1/2" Center for bowl cutting and » Wood not included polishing
- » 4 swivel casters with locks

» Top is o	pen
------------	-----

- » Insert 2"x 4" or 2" x 6" for full adjustment
- » Simply cut the 2x wood and insert

Part #	Description
143370	Weha 27" Yellow Wood Top Insert Work Table

Weha 28" Wood Top Insert Counter Top Work Table

The Weha Counter Top Fabrication Work Table with Wood Inserts is made specifically for fabricating granite, marble, quartz, quartzite, and stone counter tops, vanities, bar tops, etc.

The Weha Counter Top Work Tables are made out of solid steel that will support 2cm, 3cm, and laminate granite, engineered stone, guartz, guartzite, and all stone without any problems at all.

The Weha Work Table has an open top that is made to have 2 x 4 or 2 x 6 wood to be cut and placed inside the work top. The stone will then sit on top of the wood to prevent scratches as well as to easily slide the wood around the sink and bowl opening for easier fabrication.

Specifications:

- » Load Capacity: 882 lbs
- » Length: 84"
- » Width: 28"
- » Height: 39"
- » 24" x 42 1/2" Center for bowl cutting and polishing
- » 4 swivel casters with locks
- » 4 locking posts

Description Part # 143371 Weha 28" Yellow Wood Top Insert Work Table



- » Insert 2"x 4" or 2" x 6" for full adjustment
- » Simply cut the 2x wood and insert into the top
- » Wood not included



42.5

24″

84' 84" x 27" x 40"

WORK TABLES

Weha 27" Yellow Work Table with White Rubber

The Weha The Weha 27" Work Table with white locking rubber is made specifically for fabricating granite, marble, quartz, quartzite, and stone counter tops, vanities, bar tops, etc. The Weha Counter Top Work Tables are made out of solid steel that will support 2cm, 3cm, and laminate granite, engineered stone, quartz, quartzite, and all stone without any problems at all.

The white rubber is a 3/16" thick custom molded locking rubber that will not peel off or tear when loading, unloaded and moving the stone. With a depth of 3/16" thickness, you can make cut marks without hitting metal.

Additionally, there is no dye in the white rubber so no bleeding into the stone.

Specifications:

- » Load Capacity: 882 lbs
- » Length: 84"
- » Width: 27 1/2""
- » Height: 40"
- » 24" x 29 1/2" Center for bowl cutting and polishing
- » 3/16' thick white rubber padding
- » 4 swivel casters with locks

Part #	Description
140465	Weha 27" Yellow Work Table

Weha 28" Work Table with White Rubber

The Weha 28" Work Table with white locking rubber is made specifically for fabricating granite, marble, quartz, quartzite, and stone counter tops, vanities, bar tops, etc.

The Weha Counter Top Work Tables are made out of solid steel that will support 2cm, 3cm, and laminate granite, engineered stone, quartz, quartzite, and all stone without any problems at all.

The white rubber is a 3/16" thick custom molded locking rubber that will not peel off or tear when loading, unloaded and moving the stone. With a depth of 3/16" thickness, you can make cut marks without hitting metal.

Additionally, there is no dye in the white rubber so no bleeding into the stone.

With a weight capacity of 1000lbs, practically any piece of granite or stone can be put on the Weha fabrication work tables.

Specifications:

- » Load Capacity: 1000 lbs
- » Length: 84"
- » Width: 28"
- » Height: 340"
- » 24" x 42 1/2" Center for bowl cutting and polishing
- » 3/16" white rubber padding
- » 4 swivel casters with locks
- » 4 locking posts

Part # 140470

Description Weha 28" Yellow Work Table










PROPER LOADING OF A-FRAMES

A-Frames Loaded Normally with 1 Granite Slab (Max Size) - ISO View

The A-Frame design analyzed in this report includes this top bar. A-Frames fabricated without this are not as strong.

An underlying assumption in all calculations is that the A-Frames are statically loaded on a level, flat, hard surface and they are used in pairs. Any other conditions may nullify the results of this report

A-Frames Loaded Normally with 1 Granite Slab (Max Size) - Side View



The first slab should be positioned on the A-Frames as shown with no gap. The applied forces of the slab are distributed along the structural angle of the A-Frames - and also downward on the channel portion.

Maximum Safe Loading of A-Frames - Ex. 1



The "slab" of granite used in this study is 12' x 7' x 3cm (3.66 x 2.13 meters) and weighs 1572.5 lbs, representing a density of 0.11 lbs per cubic inc. Density is a factor in the weight of the slab.

A-Frames Loaded improperly with 1 granite slab (Max Size) - Side View

 R If the slab is not positioned fully against the upright, then a concentrated force (R) is applied to the top of the A-Frames as shown. This severe loading must be avoided. There should be no gap (z=0) between the slab and the A-Frames.



The number of slabs on one side should differ by no more that 3 slabs to the other. If slabs are placed on one side only, then 3 slabs is the maximum (as shown).

Maximum Safe Loading of A-Frames - Ex. 2



The number of slabs on one side should differ by no more than 3 slabs to the other. It is okay to load 22 slabs on one side and 25 slabs on the other (as shown). It would also be okay to load 23 on one side and 25 on the other, but not 21 on one side and 25 on the other. Other than the difference of 3, which may include slabs of any size up to 12' x 7' x 3 cm, the

remaining slabs should be evenly matched on each side of the A-Frames - that is, a slab of whatever dimensions on one side should have a counterpart of the same dimensions on the other side.



Ideally, the A-Frames are loaded evenly on both sides. Also, each slab should be centered (front to back on the two A-Frames.



Description Weha Single Sided A-Frame www.wehausa.com · 1-877-315-4761 · info@wehausa.com

Weha Safety Yellow Granite and Stone Double Sided A-Frame Storage Rack Set with Crossbar. 24,000 lb (12,000 lb per side)

Weha Safety Yellow Granite and Stone A-Frame Storage Rack Set with Crossbar are made to support granite, marble, engineered stone, guartz, guartzite, and all other sheet materials.

Painted safety yellow for high visibility for easy loading and unloading, as well as customer walk through. The Weha A-Frame Storage Slab Rack has a wide 4 1/4" inside diameter C channel on the bottom so that a piece of 2 x 4 can be put into the channel if preferred.

The Weha safety yellow A-frame storage rack is made to hold full bundles of both 2cm and 3cm materials on both sides of the A-Frame. The Weha A-Frame Storage Slab Rack comes as a set of 2 plus crossbar and all hardware.

Specifications:

- » Crossbar spread after mounted to A-frames: 60"
- » Total length of base: 60"
- » Total height: 59 1/2"
- » Spread at top of A-frame: 6 5/8"
- » Total height of slab storage: 87"
- » Maximum storage length per side: 20 1/2"
- » Inside width of storage A-Frame base: 4 1/4" with 1" side ledges

Part #	Description
137635	Weha Safety Yellow Granite & Stone Double Sided A-Frame



Weha Safety Yellow Granite and Stone Single Sided A-Frame Storage Rack Set with Crossbar are made to support granite, marble, engineered stone, quartz, quartzite, and all other sheet materials.

Painted safety yellow for high visibility for easy loading and unloading, as well as customer walk through. The Weha A-Frame Storage Slab Rack has a wide 4 1/4" inside diameter C channel on the bottom so that a piece of 2 x 4 can be put into the channel if preferred. Rack comes as a set of 2 plus crossbar and all hardware.

Specifications:

- » Crossbar spread after mounted to A-frames: 60"
- » Total length of base: 40"
- » Total height: 59 1/2"
- » Spread at top of A-frame: 6 5/8"
- » Total height of slab storage: 87"
- » Maximum storage length: 20 1/2"
- » Inside width of storage A-Frame base: 4 1/4" with 1" side ledges

Part # 139453





and l

STORAGE

STORAGE

Weha Hippo HD Bundle Rack - 190,080 lb Weight Capacity

Weha Hippo HD Bundle Rack offers the strongest and largest weight capacity granite and stone bundle rack produced. The Weha Hippo HD Bundle Rack set comes with 2 10 foot bases and 16 Posts with white rubber caps The Weha Hippo Heavy Duty Bundle Rack is rated to support the heaviest bundles of stone out there. Weha wanted to combine weight capacity with high frequency of moving bundles that generally fatigue less weight capacity granite bundle racks. The Weha Hippo HD Bundle Rack will do both of these for many years to come.

Specifications:

- » Comes with 2 10' rails and 16 60" square poles.
- » Load Capacity: Each Post: 11,880 lbs. Set of Posts: 23,760 lbs. Full Rack with 8 Sets: 190,080 lbs
- » Post: 60" x 2.5" x 2.5" (63mm x 63mm) 28 lbs each
- » Base: 10' x 7 3/4"" x 6". Post receivers in Base: 23. Receivers spaced 5" in center.
- » Each Post comes with White rubber caps

Part #	Description
137605	Weha Hippo HD Bundle Rack

Weha Buffalo Bundle Slab Storage Rack - 92,000 lb Weight Capacity

Weha Buffalo Bundle Slab Storage Racks are the latest technology in vertical stone storage.

Specifications:

- » 6 point post touch locking system increases metal to metal contact from a standard 4 1/2" to over 9 1/2".
- » Weha special patent multi locking post to base design increases strength by 57%
- » 14 receivers spaced at 8 1/2" on center. 6" from hole to hole
- » 2 10' rails and 16 60" or 72" square poles
- » Poles are 2 3/8' x 2/3/8" x 60" or 72" with white rubber caps. Each pole comes with the Weha Signature Safety Angle Bracket
- » Anchor holes for securing the Buffalo bundle racks to the floor when required.


Part #	Description
137328	Weha 60" Buffalo Bundle Slab Rack
145516	Weha 72" Buffalo Bundle Slab Rack

Square Replacement Poles for Bison and Buffalo Storage Racks

Square Poles for the Weha Bison and Buffalo Slab Racks Galvanized with White Rubber Cap with Angle Bracket.

Each Pole comes complete with: a white rubber cap to protect the slabs,Welded Angle Bracket to set the correct angle for slabs to minimize pressure on the poles for safe slab storage.

Part #	Description
137327	60" Square Poles for Bison and Buffalo Slab Storage Rack
144750	72" Square Poles for Bison and Buffalo Slab Storage Rack





lot Dipped

www.wehausa.com • 1-877-315-4761 • info@wehausa.com

STORAGE

Weha Bison 5' Interlocking Slab Storage Rack Set

- » Continuous locking full slab storage rack system for storing bundle and individual slabs
- » 2 5 ft. long base beams with 8 60" uprights with angle bracket
- » Stout 2 3/8" x 2 3/8" x 60" square tubing with white rubber cap
- » Angle brackets welded onto each pole for safety
- » Base rails have male/female built in locking connectors no connectors to keep track of
- » Continuous storage with no space between sets
- » Internal steel reinforcement for extra stability
- » Holds up to 9000 lbs between poles (4500 lbs per pole)



Part #	Description
137328	Weha Bison 5' Interlocking Slab Storage Rack Set

Weha Heavy Duty Remnant Rack

The Weha Heavy Duty Stone Remnant Rack is excellent for storing cut pieces, vanities, and remnants of all kinds. This isn't the standard light weight remnant rack that fabricators are used to seeing around. The Weha Heavy Duty Remnant Rack is stout, sturdy, and strong enough to store all thickness remnants. Each 36" post weighs almost 3 1/2 lbs each! This is heavy duty steel. And the base is equally as strong to store entire row of remnants. Weha heavy duty stone storage remnant racks are outstanding for granite, marble, engineered stone, travertine, Dekton[°], and all kinds of natural stone. The Weha Remnant Rack base rails are 60" long with 13 open holes per side for the poles.

Painted with safety yellow powder coated paint for clear visibility during loading, unloading, and storage.

Remnant rack includes:

- » 2-60" base rails
- » 20-36" poles
- » Max. Load Capacity of 2300 lbs between posts
- » Weight per set: 140 lbs

Part #	Description
134947	Weha Heavy Duty Remnant Rack

Weha Yellow Waste Container

The Weha Stone Waste Container helps to solve the waste problem in the workshops.

The Weha Stone Waste Bin is suitable for any fork-lift truck and for any length of fork.

Simply fill the Weha Stone Waste Container Trash Bin with granite and stone scraps. When full, pick up from the top with the forklift, lift it over the dumpster and pull the side lever. The bottom of the Weha Waste Container will open up to empty the waste from the bottom.

» Length: 46" » Width: 44" » Height: 37.5"		» Depth: 24" » Weight: 348 lbs
Part #	De	escription
8161264	Weha Yellow	/ Waste Container



Pick up from top lever. Opens bottom.

www.wehausa.com • 1-877-315-4761 • info@wehausa.com

SLAB LIFTERS

Weha R400 Slab Grab

Very manageable and light slab grab with small dimensions and galvanized surface. Jaws and other contact surfaces are completely rubber coated. A return spring keeps it in the vertical position. When the slab is being put down, a locking automatism (protected by law) substitutes the manual locking.

- » Load Capacity: 882 lbs
- » Min. Height: 11"
- » Max. Height: 15"

- » Claw Width: 0.79 3.15"
 » Claw Surface: 6 x 4"
 » Weight: 17.6 lbs
- Part #Description8010202Weha R400 Slab Grab



Weha R400 Twin

Very manageable and light slab grab with small dimensions and galvanized surface. Especially suitable for fragile slabs. Jaws and other contact surfaces are completely rubber coated. A return spring keeps it in the vertical position. Locking automatism (protected by law) as R 400.

» Load Capacity: 1764 lbs » Min. Height: 11"


» Max. Height: 15"

- » Claw Width: 0.8 3" » Claw Surface: 16 x 4"
- » Weight: 46 lbs
- Part # Description

Weha R1000 Plus

Reliable grab for the transfer and set up of monument slabs. A long clamping lever presses the jaw on the stone and guarantees max. work safety. Galvanized steel construction. Adjustable hanging eye for right balance.

» Load Capacity: 2205 lbs » Min. Height: 15" » Claw Width: 12" » Weight: 71 lbs



Important: Carefully read the operating instructions. Do not use to lift waxed and frozen slabs.

SLAB LIFTERS

Weha R1000

Heavy-duty slab grab, very robust with galvanized surface. Jaws and other contact surfaces are completely rubber coated. A return spring keeps it in the vertical position. When the slab is being put down, a locking mechanism (patented) locks automatically.

» Claw Width: 0.8 - 8"

» Claw Surface: 8 x 8"

» Weight: 46 lbs

- » Load capacity: 2205 lbs
- » Min. Height: 25"
- » Max. Height: 32"

Part #	Description
8010210	Weha R1000



Important: Carefully read the operating instructions. Do not use to lift waxed and frozen slabs.

Weha R1000 Jumbo

For massive stone and smaller blocks of stone. With locking automatism. Perfect protection: jaws completely galvanized prevent scratches on the valuable materials. Additional protection is given by the rubber coating. With return springs on the jaws.

» Load Capacity: 2205 lb

» Min. Height: 25"

» Max. Height: 44"

- » Claw Width 10 20" » Claw Surface: 8 x 8"
- » Weight: 93 lbs



Part #Description8010216Weha R1000 Jumbo

Important: Carefully read the operating instructions. Do not use to lift waxed and frozen slabs.

Weha R1500

Heavy-duty slab grab, very robust with galvanized surface. Jaws and other contact surfaces are completely rubber coated. A return spring keeps it in the vertical position. When the slab is being put down, a locking mechanism (patented) locks automatically.

» Load Capacity: 3307 lbs » Min. Height: 25"

- » Max. Height: 33"
- » Claw Width: 0.8 10"
 » Claw Surface: 8 x 7"
 » Weight: 93 lbs





Important: Carefully read the operating instructions. Do not use to lift waxed and frozen slabs.

www.wehausa.com • 1-877-315-4761 • info@wehausa.com

SLAB LIFTERS

Weha Riba Series Cable Scissor Lifters

The Weha Riba Series Cable Scissor Lifters are perfect for picking up any stone slab or steel plate from a horizontal position and lifting it to a vertical position. Likewise, the Riba Series Cable Scissor lifters will take a steel plate or slab and transition from a vertical position and lower it to a horizontal position.

The Weha Riba Series Cable Scissor Lifters are operated by 2 super strong steel wire cables and roller bearings. So when lifting and tilting material the cable is always tight and creating pressure so that the Riba Scissor Lifter never releases the material. A cable guide guarantees slab lowering without a problem. The 2 cables have eye loops for eye hooks, clamps, shackles etc. Rubber coated jaws. The Riba Scissor Lifter can be used with Fork Lift Booms, Jib Cranes, Over Head cranes, etc. Fully hot dipped galvanized, the Riba Slab Lifters will last for many, many years. Riba Scissor Slab Grab lifters come with 3" Diameter Rubber Grip Pads that create a super strong grip on the stone. These grips can easily be replaced when worn out.

Weha Riba 1

Light and manageable slab grab for vertical transport of slabs.

- » Load Capacity: 1102 lbs
- » Min. Height: 12"
- » Claw Width: 0 3"
- » Weight: 20 lbs

Weha Riba 2

Mid-heavy slab grab for vertical transport of slabs.

- » Load Capacity: 2646 lbs
- » Min. Height: 16"
- » Claw Width: 0 6"
- » Weight: 49 lbs

Weha Riba 3

Heavy slab grab for vertical transport of slabs.

- » Load Capacity: 3087 lbs
- » Min. Height: 20"
- » Claw Width: 0 11"
- » Weight: 64 lbs

Part #	Description
8010235	Weha Riba 1
8010240	Weha Riba 2
8010245	Weha Riba 3

Important: Carefully read the operating instructions on all slab lifters before use. Do not use to lift waxed and frozen slabs. We recommend lifting one slab at a time.

Weha Green Rubber Replacement Pads for Lifters

Part #	Description
8020613	Green Replacement Pads for Lifters

» 3 3/8" diameter » 5/8" thick » 3/8" diameter hole for bolts













www.wehausa.com · 1-877-315-4761 · info@wehausa.com

BOOMS

Contraction of the

Weha Telescopic Forklift Boom

» Load Capacity: 40)00 lbs
---------------------	---------

- » Telescoping Length: 80" to 144"
- » Fork Pockets: 24" on centers
- » Usable Fork Pocket Height: 2 1/2"
- » Usable Fork Pocket Width: 7 1/2"
- » Finish: Painted Yellow

Part #	Description
123661	Weha Telescopic Boom

Weha Adjustable Angle Telescopic Boom

We transfer your fork-lift truck into a mobile crane! With telescopic extensions, 4 times adjustable in height, suitable for loading work and transportation. Stabilizer. Completely hot

galvanized. Universal, suitable for any fork-lift truck. New: more lifting ⁴⁴ possibilities through new hook positioning. A safety chain protects it from slipping off the fork.

Part #	Description
8010608	Weha Adjustable Angle Telescopic Boom

» Max. load capacity: 5515 lbs

» Weight capacity: 3300 lbs

- » Max. reach: 15 ft
- » Weight: 551 lbs

Weha Swivel Hook and Shackle

Swivel hook for forklift booms to attach lifters, cables, slings, etc. Safety push metal clip to prevent attachments from slipping or bouncing out. Grad 80 Equipped with Brass bushing SIKA-SWIVEL HOOK type WHS 10-8 Safety pin in top thread to prevent nut from backing out during use. Comes with shackle to attach to boom.

Hook Position » 144" - 1750 lbs

» 132" - 2000 lbs

» 120" - 2250 lbs » 108" - 2500 lbs

» 96" - 2750 lbs » 84" - 3000 lb

Part #	Description
119791	Weha Swivel Hook and Shackle

» Weight capacity: 3.2 ton / 6400 lbs » Jaw Opening: 2" » Weight: 15 lbs



Swivel Hook for Fork Lift Booms and Lifter

The Weha Swivel Hook is designed to lock into the Fork lift Boom and attach cables, Abaco Lifters, Scissor Lifters, Vacuum Lifters, to the Boom. The Weha Swivel Hook allows for rotation of Granite and Stone Slabs.

Part #	Description
8010226	Weha Swivel Hook for Fork Lift Booms & Lifters

Cable Connect Sling

Part #	Description
8010227	Cable Connect Sling



MULTIPAD VACUUM LIFTER

Weha A1500 Multipad Vacuum Lifter with Power Tilt Part #138514



The Weha A1500 5 Pad Vacuum Lifter was the suggestion of a stone fabricator that was needing to do a lot of panels for a commercial job. He needed a single pad lifter to handle the smaller panels but also needed his slab lifter for full slabs, islands, and typical fab shop use. The result of making this lifter for him has created the most versatile multifunctional stone vacuum lifter on the market.

What makes the Weha A1500 Vacuum Lifter so versatile and the Best Vacuum Lifter for Stone? It starts with all the ways the Weha A1500 Vacuum Lifter can be configured. You are getting several vacuum lifters in one:

1 Single Pad: The vacuum lifter base has all the vacuum systems, connections, power tilt, shut off valves, and functions. The base also has the center pad. In this configuration the A1500 Vacuum Lifter is a single pad power tilt vacuum lifter with a weight capacity of 300 lbs. The vacuum pad dimension is 12 1/2" x 22 1/2". This allows the vacuum pad to lift small size panels (anything smaller than this can be moved by hand). Without having the extension bars attached the total width of the lifter is only 36". This allows the lifter to swing in a tight radius, load carts, dollies, line machines, etc.

2 Pad: Take off the center pad and put 2 pads on the base or add the extension bars and spread them out up to 104" wide. The 2 pad option gives the vacuum lifter a weight capacity of 600 lbs

3 Pad: 3 Pad can be attached to the base only or add the 2 extension bars and spread them out linear up to 104" wide. The 3 pad option gives the vacuum lifter a weight capacity of 900 lbs

4 Pad: Option 1: With the extension bars run the 4 pads linear up to 104" wide. Option 2: Remove the Center Pad, add the cross bars to the extension bar and spread them out up to 104" wide x 48" Spread. The 4 pad option gives the vacuum lifter a weight capacity of 1200 lbs

5 Pad: Option 1: With the extension bars run the 4 pads linear up to 104" wide. Option 2: Add the cross bars to the extension bar and spread them out up to 104" wide x 48" Spread. The 5 pad option gives the vacuum lifter a weight capacity of 1500 lbs

Swivel Vacuum Pads: Each vacuum lifter pad is mounted on a swivel that allows it to spin on 90 degree locks. the pad can be in vertical position and then turned to a horizontal position. The vacuum pads can also be placed in 45 degree angle positions. The ability to swivel and move the vacuum pads give greater flexibility in placing the pads on the stone. L shaped pieces, going around sinks, etc are controlled much easier by swiveling the pads.

5 Shut Off Valves: Every vacuum cup has its own dedicated shut off valve. These red on/off valves are set directly in front of the operator to easily control which pads the operator wants to use.



MULTIPAD VACUUM LIFTER

Vacuum Lifter Stand

Description

Vacuum Lifter Stand

Part #

140464

Quick Disconnect lines: Changing from 1 pad to 3 pads, to 5 pads is extremely easy. Simply quick disconnect the air line from the on/off valve and slide the vacuum cup with its hose off of the lifter. Quick and easily.


Power Tilt for Vertical and Horizontal Movement: The Weha A1500 Vacuum Lifter comes standard with power tilt. This allows horizontal to vertical (and vice versa) movement with a simple control lever next to the hand of the operator.

The Weha A1500 Pneumatic Air Vacuum Lifter is an air venturi vacuum lifter. Requires a minimum of 58 PSI at 4 CFM or 4 bar 5 Vacuum Cup weight capacity each: 300 lbs Power vertical/horizontal tilt from 0-90 degrees Large pressure gauge directly in front of operator to continually monitor air pressure at all times.

The Weha A1500 Vacuum Lifter comes complete with A1500 Base Vacuum Lifter, 2 Extension Bars, 2 Cross Bars and 5 Vacuum Pads. Optional Stand for Vacuum Lifters are almost a must if you plan to disconnect the vacuum lifter and place on the ground. This is to protect the vacuum cups.

Weha A1500 Venturi Air Vacuum Lifter Specifications:

- » Load Capacity Horizontal: 1500 lbs (individual pads rated for 300 lbs ea.)
- » Load Capacity Vertical: 1500 lbs
- » Minimum Pad Spread 36" x 39"
- » Maximum Pad Spread: 108" x 58"
- » Height with power tilt: 39"
- » 5 Suction Pads Each: 12 1/2" x 22 1/2"
- » Length of Base without extension: 36"
- » Length of Lifter with Extension Bars installed: 94"
- » Length of Operating Cross Bars: 48"
- » Weight: 203 lbs





UNIPAD VACUUM LIFTERS



Weha Venturi System Unipad Vacuum Lifters are premium quality vacuum lifters designed to last for years, with very easy maintenance and a very affordable price. Great for granite, marble, all natural stones, engineered stone, glass, metal, etc. These quality lifters are produced in Konigsbrunn, Germany.

We carry a full line of parts and accessories to quickly service our vacuum lifters.





Silicone Vacuum Pads for Engineered Stone

Type UNIPAD for polished & rough upper surfaces



Pads in wear resisting design (steel core with vulcanized surface rubber)



Weha EP300 Unipad Hand Pump and Air #116041

- » Comes with both hand pump and air connection
- » Will build and maintain pressure without air or external power
- » Load Capacity Horizontal: 661 lbs
- » Load Capacity Vertical: 331 lbs
- » Suction Plate: 21.3" x 6"
- » Weight: 33 lbs



Weha T300 Unipad Pneumatic/Air Only #8010296

- » Comes with air connection only
- » Runs off of a small compressor with a min 2 CFM and 60 psi
- » Load Capacity Horizontal: 661 lbs
- » Load Capacity Vertical: 331 lbs
- » Suction Plate: 21.3" x 6"
- » Weight: 33 lbs



Weha EP600 Unipad Hand Pump and Air #115764

- » No compressor required when using the hand pump
- » Double acting hand pump
- » Load Capacity Horizontal: 1323 lbs
- » Load Capacity Vertical: 661 lbs
- » Suction Plate: 24" x 10"
- » Weight: 40 lbs



Weha T600 Unipad Pneumatic/Air Only #115905

- » Comes with air connection only
- » Runs off of a small compressor with a min 2 CFM and 60 psi
- » Load Capacity Horizontal: 1323 lbs
- » Load Capacity Vertical: 661 lbs
- » Suction Plate: 24" x 10"
- » Weight: 40 lbs



Weha EP800 Unipad Hand Pump and Air #118674

- » Runs off of a small compressor with a min 4 CFM and 90 PSI
- » No compressor required when using the hand pump
- » Load Capacity Horizontal: 1764 lbs
- » Load Capacity Vertical: 882 lbs
- » Suction Plate: 28" x 12"
- » Weight: 73 lbs



Weha T800 Unipad Pneumatic/Air Only #118656

- » Comes with air connection only
- » Runs off of a small compressor with a min 2 CFM and 60 psi
- » Load Capacity Horizontal: 1764 lbs
- » Load Capacity Vertical: 882 lbs
- » Suction Plate: 28" x 12"
- » Weight: 73 lbs

INSTALLATION

Weha Counter Top Support Bracket - Flat

Weha Counter Top Support Brackets are made to replace Corbels on granite, marble, quartz, quartzite, ES, and concrete counter top overhangs and kitchen islands. Made to be placed between 18"-24" apart, most installations require 3 so Weha has conveniently packed the counter top support braces in packs of 3. This gives 4 screws per counter top brace bracket. Each set of 3 counter top brackets are shrink wrapped with the screws. This allows the installer to grab a counter top bracket set and take it to the install without scratching the brackets or the brackets sliding around in the truck, and not having to remember to grab the screws. Simply take into the kitchen, open the pack, and everything is provided for a quick, scratch free install.

Each Counter Top Support Bracket comes with 6 countersink holes. This allows the bracket to be adjusted up to 2 $\frac{1}{4}$ " if needed. The provided screws will finish flush with the granite support bracket. Each Counter Top Support Bracket is powder coated gloss



black for a high end black polished finish. One edge of the counter top brace is flat and the other end is back beveled with slightly rounded corners. There are no sharp edges for the homeowner to scratch or cut themselves. And the bevel provides a nice touch transition from the bracket to the stone. Weha also decided to go with a full 1/4" thick counter top brace bracket. The 3/16" brackets are just too flimsy and allows too much flex in the brace. However, the 1/4" thick counter top bracket provides a solid stiff bracket

Part #	Description
143160	Weha 8" Counter Top Support Brackets / pack of three
138401	Weha 10" Counter Top Support Brackets / pack of three
138396	Weha 12" Counter Top Support Brackets / pack of three
143161	Weha 14" Counter Top Support Brackets / pack of three
138397	Weha 15" Counter Top Support Brackets / pack of three
143162	Weha 17" Counter Top Support Brackets / pack of three
138398	Weha 20" Counter Top Support Brackets / pack of three

that will fully support the overhang without flexing.

Weha produces the Counter Top Support Bracket at 2 $\frac{1}{2}$ " wide. This width gives plenty of structural support. And when placed at seams it gives a full 1 $\frac{1}{4}$ " wide support on each piece of stone. Weha Counter Top Support Brackets can be used with granite, marble, engineered stone, quartz, quartzite, concrete, and all substrates. All Weha Counter Top Support Brackets provide the correct and proper support needed for granite and stone overhangs.

> » 2 ½" wide » ¼" thick

» 3 per set» Includes 12-2" screws

Weha Counter Top Support Bracket - L

The Weha 10" L Bracket Counter Top Support Bars are made for granite, marble, quartz, quartzite, engineered stone, concrete counter tops. The L Countertop Support Brackets are made to mount on 2 x 4 knee or pony walls, as well as full island support walls. Another excellent application is for floating vanity tops. The L bracket can be screwed to the stud and then drywall or mudded over for an invisible look. The L Countertop Support Bracket comes with predrilled recessed screw holes. 4 recessed screw holes on the top and 3 recessed screw holes down the back. Screws can go in either or both sides. The L Countertop Support Bracket is made using premium 1/4" thick steel x 2 1/2" wide for robust support with no flexing. The L Countertop Support Brackets are finished with a high gloss black finish with a beveled end.

» 2 ½" w » ¼" thic » 3 per s	k » L length: 4 3/16"
Part #	Description
140138	Weha 10" Counter Top Support L Brackets / pack of three
140203	Weha 12" Counter Top Support L Brackets / pack of three
140139	Weha 15" Counter Top Support L Brackets / pack of three

INSTALLATION

Weha Z Bracket Sink Clips

Weha Z Brackets for mounting undermount sinks. Z brackets can be used to directly attach sinks using quick set adhesives or they can be used with sink anchors and screws to mount kitchen sinks and bathroom vanity sinks.

Part #	Description
138402	Weha Z Bracket for Sink Clips / 50 per bag / 10 bags per case



Weha Pop-It Universal Sink Clips

Weha Pop-It Universal Sink Clip for attached undermount kitchen sinks and ceramic and porcelain vanity sinks to granite, marble, quartz, quartzite, concrete, and other stone counter tops and vanities. imply drill an 8mm hole and drop the Weha Pop-It screw into the hole. Tighten the other screw down onto the lip of the vanity or kitchen sink. Once the screw tightens down on the sink rim the Pop-it will wedge into the hole and self lock for a safe and secure bowl mount.

Made out of heavy duty gauge stainless steel, the Weha Pop-it Universal Sink Clip will not rust or fatigue over time. If the sink ever needs to come out or be replaced, simply loosen the screw and the Weha Pop-it will come out and can be reused to mount the new replacement sink. No glue necessary.



Will work with sink rims up to 1" thick.

Part #	Description
138399	Weha Pop-It Universal Sink Clips / 50 per bag / 10 bags per case

Weha T-31 Anchor Bolt 3/16" x 1/4" x1 1/2"

The Weha T-31 Anchor Bolt is an Stainless Steel and will not rust. This 3/16" T Anchor Bolt works perfect with the Weha T-31 Anchor Machine, T-31 Diamond Anchor Bit, and the Weha Z clip. T-31 Anchor Bolt includes lock washer, washer and nut.

Part #	Description
142817	Weha T Anchor Bolt 3/16" x 1/4" x 1 1/2" / Bag of 50

Weha T-31 Vacuum Brazed Anchor Bits

The Weha T-31 Vacuum Brazed Diamond Anchor Bit are made to be used on the Weha T-31 Anchor Machine or any other T-31 Anchor Machine that accepts a 1/4" diameter T-31 Anchor Bit.

These bits will make perfect anchor slots in marble, granite, quartz, engineered stone, concrete, and other natural or man-made stone. Depending on materials the Weha T-31 Diamond Anchor Bit will get between 100-150 slots before it needs to be replaced.

Part #	Description
30151	Weha T Anchor Bit 2" x 3/16" x 1/4" shaft
30152	Weha T Anchor Bit 2cm 3/16" x 1/4" shaft





www.wehausa.com • 1-877-315-4761 • info@wehausa.com

VACUUM CUPS / SEAM SETTERS

Weha Suction Assembly

Weha Suction Assembly consists of 2 capped aluminum rails and 12 double suction cups. It supports and protects your kitchen and bathroom tops in transport, reducing the chance of breaking the top. Special aluminum profiles allow a safe placement of the suction cups, which are individually adjustable.

Part #DescriptionSET080040Weha Suction Assembly

» Rail Length: 7' » 12 - Double Cups

Weha Replacement Parts for Suction Cup Assembly

The Replacement Double Suction Cup for Suction Cup Assembly are designed specifically for

the Weha Suction cup assembly. They have the hook and lever on the underside of the handle to clamp onto the special



The Weha 7' replacement bar for the Weha Suction Cup Assembly is to replace a damaged or lost bar that came with the Weha Suction Cup Assembly set.



Part #Description8010422Weha Replacement Cup for Suction Cup Assembly8010414Weha 7' Replacement Bar - Each

Weha Double Suction Cup for Stone, Tile and Glass

The Weha Double Suction Cups are excellent light weight cups that have a nice weight capacity for moving cut and finished pieces of stone, tile, and glass.

Part #	Description
8010423	Weha Double Suction Cups

» Load Capacity: 176 lbs
 » Suction Plates: 2 - 5"
 » Weight: 1.4 lbs

Weha Ratchet Seam Setter & Leveler

Fine adjustments can be made by means of a micro adjustment screw creates a perfectly tight and level seam. It is also suitable for gluing broken parts. The vacuum is strong enough to allow the adhesive to cure before losing pressure. Comes

with a heavy duty blowmold carry case.

- » Suction Plate: 2 8"
- » Weight: 12.1 lbs
- » Includes heavy duty molded case

Part #	Description
8010418	Weha Ratchet Seam Setter & Leveler



Level Equalizer



VACUUM CUPS

Weha Vacuum Cups

Heavy-duty and robust vacuum cups with high load capacity, especially for heavy and big work pieces with smooth surfaces. Vacuum control and safe work thanks to a warning marking.

- 8" Metal Vacuum Cup
 - » Load capacity horizontal: 265 lbs
 - » Suction plate diameter: 8"
 - » Weight: 3 lbs



- 8" Plastic Handle Vacuum Cup
 - » Load capacity horizontal: 175 lbs
 - » Suction plate diameter: 8"
 - » Weight: 2.5 lbs



10" Metal Vacuum Cup

- » Load capacity horizontal: 331 lbs
- » Suction plate diameter: 10"
- » Weight: 3 lbs

Part #	Description
VZ080104	8" Plastic Handle Vacuum Cup
8010421	8" Metal Vacuum Cup
8010416	10" Metal Vacuum Cup

Weha 8" Grey Rubber Vacuum Cup

» Load Capacity: 176 lbs » Non-marking » Does not leave spots/marks on stone

» Excellent for ES stone, composite materials, marbles, all granites (especially white or light colored stone

Part #	Description
122815	Weha 8" Metal Grey Rubber Vacuum Cup

Weha Triple Suction Cup

- » Suction Plates: 3 4.75"
- » Horizontal Load Capacity: 220 lbs
- » Vertical Load Capacity: 110 lbs

Part #	Description
104552	Weha Triple Suction Cup





RODDING

Weha Yellow Fiberglass Rodding Stand

The Weha Yellow Fiberglass Rodding Stand works perfect for white fiberglass rodding and the Weha Carbon Fiberglass Rodding. The Weha Yellow Fiberglass Rodding Stand will hold rodding up to 330' rolls. The real advantage of the Weha Yellow Fiberglass Rodding Stand over others is the ability for it to ship broken down for much less expensive shipping charges. Easy 5 minute assembly. With assembly only taking about 5 minutes, this will save well over \$70.00 in shipping charges over fiberglass rodding stands that are one solid piece. This makes the Weha Yellow Fiberglass Rodding Stand the most affordable Rodding Stand on the market! Stable, sturdy construction of painted steel.

Part #	Description
137205	Weha Yellow Rodding Stand

Weha White Economy Fiberglass Rodding

Weha White Economy Rodding is not has strong as the other Weha Carbon Fiberglass or Steel Carbon Fiberglass Rodding. However, it does add substantial strength over not using rodding at all.

White Rodding will not rust over time and will mechanically bonds to the adhesive rather than just surrounding it like metal rodding.

Part #	Description
8160066	Economy Rodding 1/8" x 3/8" x 328

Weha 10" (250mm) x 5mm Rodding Blade

Weha 10" x 5mm Rodding Blade is made for saws, such as the GMM, that has Rodding capabilities.

Can be used for making rodding slots on granite, marble, quartz, quartzite.

Part#	Description
107880	Weha 10" (250mm) x 5mm Rodding Blade

Weha Diamond Turbo Rodding Blades

Weha Diamond Turbo Rodding Blade for granite, marble, engineered stone, quartz, quartzite, concrete counter tops. The Weha Diamond turbo rodding blade is designed to increase speed in cutting out the rodding channel for the 1/8" thick fiberglass and metal rods. With a full 10mm height of diamond and cooling holes, the Weha Turbo Rodding Blade cuts as fast as a turbo blade but making a 1/4" wide square notch for the rods. The Granite Rodding Turbo Blade makes up 2 Weha EB blades separated by an 1/8" thick of metal-all welded together. When the blade is cutting, it blows out the stone that goes between the blades, leaving a perfect 1/4 wide groove.

Part#	Description
50287	Weha 4" x 1/4" Diamond Turbo Rodding Blade
50289	Weha 5" x 1/4" Diamond Turbo Rodding Blade

» 7/8" x 5/8" » May be used wet » Max RPM: 12,200



RODDING

Weha Steel Carbon Fiber Rodding

Steel Carbon Fiber Rodding 1/8" x 3/8" x 330' for granite, marble, all natural stones, Engineered stones and Quartz counter tops

Weha has taken Steel Rodding and encapsulated it with 8 Strand premium true grade fiberglass and then reinforced with Carbon Fiberglass. By having the steel rodding completely enclosed in the carbon fiber, there is virtually no chance of rust from the steel, like traditional steel rodding. This Triple layer granite rodding material produces incredible strength superior to standard steel rodding, without the worry of rust. Additionally, the Weha Steel Carbon Fiberglass Rodding is specifically designed with multiple grooves that run the length of each side of the rodding. These adhesive grooves are made to allow maximum locking bond and adhesion to the glue. This adds additional strength to the steel Carbon Fiberglass Rodding. Because the Weha Steel Carbon Fiberglass Rodding uses true premium grade fiberglass (not extruded plastic in the shape of rodding) the glue bonds to the fiberglass.

Part #Description133229Weha Steel Carbon Fiber Rodding 1/8" x 3/8" x 330'

Weha Carbon Fiber Rodding

Carbon Fiberglass Rodding 1/8" x 3/8" x 328' roll for Granite, Marble, Engineered Stone, Quartzite, all Natural Stones

Weha Carbon Fiber rodding is the latest technology in fiberglass rodding for granite, all natural stones, engineered stones, and quartz counter top applications Made with the highest concentration of fiberglass strands throughout the entire profile makes the weha carbon granite rodding, in itself, much stronger than traditional white fiberglass rodding for stone.

Weha has added an additional top and bottom layer of high tensile strength Carbon on both sides to drastically increase the strength even more! This makes the Weha Carbon Fiber Rodding the Strongest granite Fiberglass Rodding that can be used.

Part #	Description
8160061	Flat section: 1/8"x3/8" - Length: 328'
126487	Flat section: 1/8"x1/4" - Length: 328'

Weha Carbon Fiber Rodding Bar

Carbon Fiberglass Rodding 1/8" x 3/8" x 48" bar for Granite, Marble, Engineered Stone, Quartzite, all Natural Stones

The Weha Carbon Fiber Granite Rodding Bars are now pre cut in 4' (48") lengths with 100 carbon fiber rodding sticks per bundle. No more rodding stands, rolls being unraveled and laying all over the shop.

With a 48" length, 1 stick will extend past any sink. Simply cut with a grinder or bolt cutters to the length you need and glue it in.

Part #Description1406101/8" x 3/8" x 48"Carbon Fiber Rodding Bar 100/box







25% Stronger than standard rodding

weba



ue na




Weha Heavy Duty Waterproof Grey Apron

Weha's latest Apron is made for comfort. With 2" wide cross Clip Straps, the Weha Apron fits comfortable on the shoulders and not on the neck. The Weha Apron fits comfortable under the arm and around the body. This keeps it close to the body from arms down to the legs. this provides easier movement and best water protection.

At 46" in length, it fits the average fabricator just perfectly. This length covers the boot well but still leaves enough space from the floor to keep it from touching.

- » 2" wide cross clip straps
- » Sits across shoulders not neck
- » Thick, durable material will last 3-4 times longer than most aprons on the market
- » High working comfort
- » Dimensions: 46" long
- » Color: Grey

Part #Description137468Weha Heavy Duty Grey Apron





Weha Clip Apron

- » With spring clip
- » Without a carrier belt for maximum comfort at work
- » Dimensions: 55" x 36"
- » Color: White

Part #Description8152112Work Apron Weha Clip

Work Velcro Apron

The Weha USA Water Proof Apron is a heavy duty apron for granite fabrication shops. The Weha USA Water Proof Aprons come with 2 strips of velcro down the front to hold diamond polishing pads, felt pads, and other hook and loop items. With zippered pockets with water proof flaps on each side allow the fabricator to store useful items.

» Dimensions: 34" x 48" long
 » Color: Black
 Part # Description

VD080388 Weha Velcro Apron



www.wehausa.com · 1-877-315-4761 · info@wehausa.com

MISC / ACCESSORIES

MISC / ACCESSORIES

Weha 4" C Clamp

4" C clamps are great for laminating, keeping stone from sliding on work tables, etc

	» Forged steel » 1200 lb capacity » 4" opening » 3" depth	
	Part #	Description
—	8135	Weha 4" C Clamp

Waste Bags for Sludge Dehydrators

29' x 50" made of woven polyester



Part #	Description
7240032	Waste Bag for Sludge Dehydrators

Weha Stone Waste Bags

Use for stone wastes, paving-stones, sand, split, gravel.




Small dead weight, high ultimate tensile strength, fully recyclable. Weha Stone Waste Bag with handle loops allow the waste bags to be picked up with forklifts, or put in frames for easily loading and removal. Weight Capacity: 1.5 Tons Size: 35" x 35" x 35"

Part #	Description
8010800	Weha Stone Waste Bag w/handles

Weha Stone Slab Wedge

The Stone Slab Wedge is designed to separate bundles so that the clamps can pick up a slab.



Casters for Work Table





Part #	Description
8020492	Caster without Brake - each
8020481	Caster with Brake - each

Wheels for A-Frame Transport Carts



- » Designed for Weha Transport Carts
- » 2 locking swivel
- » 2 fixed
- » 8" wheels

Part #	Description
133275	Casters for Weha Transport Cart-Set

Frankfurt Plastic Shoe / Holders





Part #	Description
VD070045	Complete Frankfurt Plastic Shoe
6190601	Left Holder
6190602	Right Shoe

www.wehausa.com · 1-877-315-4761 · info@wehausa.com

MISC / ACCESSORIES

Weha Medium Density Felt Pads



Part #	Description
VZVFP4	4" Weha Medium Density Felt Pads
VZVFP5	5" Weha Medium Density Felt Pads

Bridge Saw Table Rubber Mat



- » 39" x 39" x 3/4"
- » Anti-fatigue
- » Ergonomic
- » Made of rubber

Part #	Description	
128648	Bridge Saw Table Rubber Mat	

Granite & Stone Foam Rubber Squeegee



Perfect for pulling water off of counter tops, islands, vanities, etc. during the fabrication process. Made with a steel body double layer foam.

Part #	Description
102870	18" Granite & Stone Foam Rubber Squeegee
102871	25" Granite & Stone Foam Rubber Squeegee

EZ Dish Washer Bracket

The absolute best way to secure dish washers. Sturdy metal construction Attaches to the cabinet with screws. Can also be attached to countertop with adhesive. Sold as individual pieces. There are 25 pieces per box



Medium Density Felt Wheel



The Weha Thick Medium Density Felt Wheel is used with polishing powders, waxes, etc on granite, marble, engineered stone, quartzite, and other natural stones.

» 5" x 1" x 5/8-11

Part #	Description
4442	5" Medium Density Felt Wheel

SKM Metal Tip Stone Marker

SKM metal tip markers are perfect for marking slabs, core holes, sink cut outs, selecting slabs etc.

Works on granite, marble, limestone, slate, all natural stone and engineered stone.

Part # Description

SKM White Metal Tip Stone Marker

SKM Red Metal Tip Stone Marker



Professional Marker Set

Perfect for granite, marble, engineered stone, quartz and all natural stones. Durable enough to not wash off



33901

33903

during fabrication. Writes through standing water.

- » 2 blue refill pens
- »1 box of red markers
- » 1 box of black markers
- » 1 box of yellow markers

	weha Alexanter
Part #	Description
4090160	Professional Marker Set
4090155	Black Refill/Hardness HB/Pack of 5
4090156	Red Refill/Hardness HB/Pack of 5
4090157	Yellow Refill/Hardness HB/Pack of 5

www.wehausa.com · 1-877-315-4761 · info@wehausa.com

SANDPAPER

Weha offers a variety of very high quality silicon carbide sandpaper. Weha has researched sandpaper for nearly 3 years to find uncompromising, consistent, high-quality E weight silicon carbide velcro backed sandpaper that we can put our name on. Weha is proud to offer this line of velcro sandpaper to the stone fabricator, knowing it will meet the high expectations that fabricators want and deserve. Weha Silicon Carbide Sandpaper is outstanding on marble, travertine, limestone, even granite, and engineered stone.

4" Silicon Carbide Velcro Sandpaper with Knock Out Center

Weha line of 4" hook and loop Silicon Carbide Sandpaper with knockout center is equal to all the major brand sandpapers available on the market today. Pure grade silicon on heavy weight paper allows long lasting sanding and polishing in either a wet or dry environment

Part #	Description
146003	4" 40 Grit with Knock Out Center Box of 50
146004	4" 60 Grit with Knock Out Center Box of 50
146005	4" 80 Grit with Knock Out Center Box of 50
146006	4" 120 Grit with Knock Out Center Box of 50
146007	4" 220 Grit with Knock Out Center Box of 50
146008	4" 320 Grit with Knock Out Center Box of 50
146009	4" 400 Grit with Knock Out Center Box of 50
146010	4" 600 Grit with Knock Out Center Box of 50
146011	4" 800 Grit with Knock Out Center Box of 50
146012	4" 1200 Grit with Knock Out Center Box of 50

The velcro silicon carbide sandpaper now comes with a removable knockout center. This gives the flexibility to use the paper dry complete without removing the center hole or pushing out the knockout out center and have center water feed.

> » Can be used both wet and dry
> » Hook and looped back
> » Grits 40 - 1200 in stock

5" Silicon Carbide Velcro Sandpaper

Weha line of 5" hook and loop Silicon Carbide Sandpaper is equal to all the major brand sandpapers available on the market today. Pure grade silicon on heavy weight E paper allows long lasting sanding and polishing in either a wet or dry environment.

aper Box of 100
aper Box of 100
aper Box of 100
paper Box of 100
paper Box of 100
paper Box of 100
paper Box of 100
paper Box of 100

 » Can be used both wet and dry
 » Hook and looped back
 » Grits 40 - 600 in stock



P320

Silicon Carbide Veloro PSA Sandpaper with Sticky Back

Weha Silicon Carbide Sandpaper is outstanding on marble, travertine, limestone, even granite, and engineered stone. Weha line of 5" PSA Sticky Back Silicon Carbide Sandpaper is equal to all the major brand sandpapers available on the market today.

Pure grade silicon on heavy weight paper allows long lasting sanding and polishing in either a wet or dry environment

Part #	Description
142215	5" 40 Grit PSA Sticky Back Sandpaper Box of 100
142216	5" 60 Grit PSA Sticky Back Sandpaper Box of 100
142217	5" 80 Grit PSA Sticky Back Sandpaper Box of 100
142218	5" 120 Grit PSA Sticky Back Sandpaper Box of 100
142219	5" 220 Grit PSA Sticky Back Sandpaper Box of 100
142220	5" 320 Grit PSA Sticky Back Sandpaper Box of 100
142221	5" 400 Grit PSA Sticky Back Sandpaper Box of 100
142222	5" 600 Grit PSA Sticky Back Sandpaper Box of 100

All of the Weha 5" PSA Sticky Back Silicon Carbide Sandpaper grits are boxed in packs of 100 pieces per box. However the cost of Weha box of 100 silicon carbide sandpaper is nearly the price of other name brand silicon carbide sandpaper packs of 50.

ELECTRO CONTEN

Thick Yellow Foam Velcro Flexible Back Up Pads for Sandpaper

Weha Yellow Foam Velcro Flexible Back Up Pads are made to be used with Velcro backed silicon carbide sandpaper. The 5/8" thick yellow foam gives plenty of cushion for the sandpaper to roll over the edges and inside bowls, etc when sanding. The Yellow Foam Velcro Flexible Backer Pad can be compared to the Diskit flexible back up pads in quality and in performance.

» 5/8-11 brass thread

- » Center water hole for wet use
- » Can be used wet or dry

Part #	Description
4440	4" x 5/8" Thick Yellow Foam Back Up Pad
4441	5" x 5/8" Thick Yellow Foam Back Up Pad
CONTRACTOR NO.	STATISTICS OF A STATISTICS AND A STATISTIC

www.wehausa.com · 1-877-315-4761 · info@wehausa.com





NON-SKID DROP CLOTH

3.5 ft x 12 ft



The perfect non-skid runner for working inside the home!







- Increase jobsite safety
- Finished hems and seams
- Washable and reuseable
- Durable and long-lasting
- Conforms to surfaces
- Fits snugly on stairs
- Will not slide when pressure is applied





Slip-resistant dots that hold firm and prevent the drop cloth from slipping.

Part#Description4526Grippy Gecko Non-Skid Drop Cloth 3.5 ft x 12 ft

OMA SYSTEM



Electric Edge Profiler UCCUS Profilatrice Elettrica

OMA Digispeed Electric Profiling Machine Technical Features:

- » 220 V Single or 3 Phase Power Required
- » Inner and external water feed
- » Variable speed: 0-6000 RPM
- » Dimensions: 20" x 12" x 16"
- » Light Weight at only 44 lbs.(22 Kg)
- » Strong 3 HP motor.

1) Continuous Variable Speed: The speed is adjustable from 0 to 6000 in continuous full adjustment. This advantage allows full maximum

use of OMA, Ghines, Marmo, and other private label

profile and polishing bits at any and all speeds they recommend.

2) Made with aircraft aluminum and steel, the OMA Taurus Profiling Machine's body is produced

Digital Router

Ever Built!

outside co materials and most 3) OMA Ta Water Fee 4) OMA In comes with manufact

using the latest metallic technology for strength and durability. The outside cover is made with true fiberglass, not cheap plastic. these quality materials produce the lightest weight electric router with the strongest and most solid core in its class.



3) OMA Taurus Granite Router offers both Center Water Feed and External Water Feed

4) OMA Inter-changable Spindle Adapter system. The Taurus Granite Portable Profiling Machine comes with 3 spindle adapters that allow 100% complete flexibility in the type, style, and manufacture of router bit you choose to use

6) OMA Safety and Shock Prevention

7) 0-6000 RPM: Profiling does not require 10,000 or higher rpms.

By reducing the rpms, the Taurus runs extremely smooth, eliminating excess and unnecessary vibrations, creating perfect profiles without ripples or waves.

8) OMA Diamond Router Polishing Wheels Speed: Using the OMA Taurus with the OMAprofile and diamond polishing wheels, set of 6, you can process up to 20 feet per hour from profiling to complete polish.

9) Spindle can be adjusted up or down without the machine being on. This allows precise bit height adjustment, without getting wet.

Part#	Description
8000	OMA Digispeed Electric Profiling Machine



OMA SYSTEM

OMA Auctor CP 99 Hydraulic Router

The OMA CP99 Hydraulic Router is an Italian made machine designed for years of stone fabrication production. Powered by the OMA 4 HP hydraulic power unit which provides power by means of hydraulic fluid to the router. The OMA CP99 comes with an aqua planning base designed differently than its competitors. By having many water holes across the entire base, the CP99 aqua base creates an incredibly stable and steady platform. Even when you get to the corners and edges of the stone and part of the base accidentally comes off the stone. Also, because there is constant flow of water being pushed from the inside out, it helps to prevent pieces of stone from sliding under the router and create scratches. This compact and light weight router makes it easier to use, less user fatigue, and easy to move from one work table to another. The CP99 is a router that will provide many, many years of fabrication work.

» Variable speed: 0-7500 RPM

- » Frame made of aircraft aluminum and steel.
- » Dimensions: 20" x 12" x 16" (500 x 300 x 400mm)
- » Light Weight at only 35 lbs.(16 kg)
- » Cover is made of fiberglass, not plastic

OMA Antarex Hydraulic Bowl Cutting Machine

The OMA Antarex Bowl Cutting machine is an hydraulic manual milling machine that uses OMA SYSTEM patent and it is unique in its field with no equivalent on the market. Even being a portable machine, it works at high levels in terms of high quality and precision performances, like a CNC machine! It completes the entire range of OMA SYSTEM production to solve each demand of shaped cuts. It can be used to drill pilot holes for faucets and cut sink bowels. This machine can be used free style or with a template in PVC or in plywood template material. The OMA uses the Antarex diamond cutter finger bit that spins is designed to run at 44.000 RPM. Thanks to the vertical cutter, you will able realize great craftworks highlighting the professionalism and the detail carefulness of the finished product. The OMA Antarex is a router that will provide many, many years of fabrication work. Inner Lubrication & cooling system: Before arriving to the machine, the water goes through a water/oil heat exchanger (patented) placed on the gear case that provides for the oil-dynamic system to cool. Arrived on the machine, it reaches the tool and guarantees a perfect lubrication. Working with a constant temperature assures great performances of the machine and extends the spindle, tools and bearings life.


- » Runs at 44,000 RPM
- » Dimensions: 20" x 12" x 16") (500 x 300 x 400mm).
- » Frame made of aircraft aluminum and steel.
- » Light Weight at only 35 lbs.(16 kg)
- » Cover is made of fiberglass, not plastic

Antarex Finger Bit Diamond Cutter for OMA Antarex Bowl Router

The OMA Antarex Finger Bit Diamond Cutter for the OMA Antarex bowl router is screws into the spindle of the OMA Antarex. The OMA Antarex will cut through 2cm and 3cm stone in less than 6 minutes. This is allowing up to 10 bowls per hour of processing.

Part #	Description
8002	OMA Auctor CP 99 Hydraulic Router with Aqua Planning Base
8003	OMA Antarex Hydraulic Bowl Cutting Machine
8007	OMA Antarex Finger Bit Diamond Cutter for OMAAntarex Bowl Router





Part #	Description	
8008	A 2cm OMA Sint Segmented Diamond Pos 1	
8009	A 2cm OMA Prodiam Cont Metal Diamond Pos 2	
8010	A 2cm OMAExtradiam Diamond Pos 3	
8011	A 2cm OMA Truelife Polish Pad Pos 4	
8012	A 2cm OMA Truelife Polish Pad Pos 5	
8013	A 2cm OMA Truelife Polish Pad Pos 6	
8015	A 3cm OMA Sint Segmented Diamond Pos 1	
8016	A 3cm OMA Prodiam Cont Metal Diamond Pos 2	
8017	A 3cm OMA Extradiam Cont Metal Diamond Pos 3	
8018	A 3cm OMA Truelife Polish Pad Pos 4	
8019	A 3cm OMA Truelife Polish Pad Pos 5	
8020	A 3cm OMA Truelife Polish Pad Pos 6	
8022	B 2cm OMA Sint Segmented Diamond Pos 1	
8023	B 2cm OMA Prodiam Cont Metal Diamond Pos 2	
8024	B 2cm OMA Extradiam Diamond Pos 3	
8025	B 2cm OMA Truelife Polish Pad Pos 4	
8026	B 2cm OMA Truelife Polish Pad Pos 5	
8027	B 2cm OMA Truelife Polish Pad Pos 6	
8029	B 3cm OMA Sint Segmented Diamond Pos 1	
8030	B 3cm OMA Prodiam Cont Metal Diamond Pos 2	
8031	B 3cm OMA Extradiam Cont Metal Diamond Pos 3	
8032	B 3cm OMA Truelife Polish Pad Pos 4	
8033	B 3cm OMA Truelife Polish Pad Pos 5	1
8034	B 3cm OMA Truelife Polish Pad Pos 6	
8036	E 2cm OMA Sint Segmented Diamond Pos 1	
8037	E 2cm OMA Prodiam Cont Metal Diamond Pos 2	
8038	E 2cm OMA Extradiam Diamond Pos 3	
8041	E 2cm OMA Truelife Polish Pad Pos 6	
8043	F 2cm OMA Sint Segmented Diamond Pos 1	
8044	F 2cm OMA Prodiam Cont Metal Diamond Pos 2	
8045	F 2cm OMA Extradiam Diamond Pos 3 F 2cm OMA Truelife Polish Pad Pos 4	
8046	F 2cm OMA Truelife Polish Pad Pos 4	
8047	F 2cm OMA Truelife Polish Pad Pos 5	
8048	F 3cm OMA Sint Segmented Diamond Pos 1	
8051	F 3cm OMA Prodiam Cont Metal Diamond Pos 2	
8052	F 3cm OMA Extradiam Cont Metal Diamond Pos 3	
8053	F 3cm OMA Truelife Polish Pad Pos 4	
8054	F 3cm OMA Truelife Polish Pad Pos 5 F 3cm OMAT ruelife Polish Pad Pos 6	
8055		
8057	OMA Pos 1 3cm V Full Bullnose Sint Segmented Router Bit OMA Pos 2 3cm V Full Bullnose Prodiam Cont Metal Diamond	
8058	OMA Pos 2 3cm V Full Bullhose Prodiam Cont Metal Diamond	
8059	OMA Pos 3 Scm V Full Bullhose Extradiant Cont Metal Diamond	
8060	OMA Pos 4 Sch V Full Bullhose Truelife Polish Wheel	
8061	OMA Pos 5 3 cm V Full Bullhose Truelife Polish Wheel	
8062	V 4cm OMA Sint Segmented Diamond Pos 1	
8064	V 4cm OMA sint segmented Diamond Pos 1 V 4cm OMA Prodiam Cont Metal Diamond Pos 2	
8065	V 4cm OMA Produin Cont Metal Diamond Pos 2	
8067	V 4cm OMA Extradiant Contributeral Diamond Posis	
8067	V 4cm OMA Truelife Polish Pad Pos 4	
8068	V 4cm OMA Truelife Polish Pad Pos 5	
0009		

OMA SYSTEM OMA Router Bits

Outstanding life and smooth finish on marble, granite, quartz, engineered stone. ALL PROFILES AVAILABLE 100 OM TrueLit **Replacement Segments**



Part #	Description
8014	Replacement Segments for A 2cm Pos 1 set of 8
8021	Replacement Segments for A 3cm Pos 1 set of 8
8028	Replacement Segments for B 2cm Pos1 set of 8
8035	Replacement Segments for B 3cm Pos1 set of 8
8042	Replacement Segments for E 3cm Pos1 set of 8
8049	Replacement Segments for F 2cm Pos1 set of 8
8056	Replacement Segments for F 3cm Pos1 set of 8
8063	Replacement Segments for V 3cm Pos 1 set of 16
8070	Replacement Segments for V 4cm Pos 1 set of 16



10' & 13' Automatic

DAY DUSE

Collection Booth

Filiar Project Dry Dust Collector Doothe are designed to troop SSSS of dust from granite, marble, angineered stone, quarter, quarterite, and other althorne particles

pipun.

- Traps 99.99% of airborne dust and particles
- Automatic self cleaning system
- Easy to dump dust collection drawers
- Easy ON/OFF buttons

Internet an

- Easy to use control panel
- 13' has dual motors / 10' has single motor
- Comes with a 3 foot extension box for focused suction
- Comes fully assembled; just connect to power
- Financing available

DESCRIPTION	SUCTION LENGTH	TOTAL LENGTH	WIDTH	HEIGHT	WEIGHT	POWER 220 3 Phase	ASPIRATION	DUST EFFECTIVENESS	NOISE LEVEL Decibels	
10 FT 3 Meter	115"	128"	43"	96"	858 lbs	4 hp	9417 CFM	99.99%	67 dB*	
13 FT 4 METER	155"	179"	43"	96"	1100 lbs	8 hp	18834 CFM	99.99%	67 dB*	

*Noise levels: 60 dB - Normal Conversation; 70 dB - Toilet Flushing/Vacuum Cleaner; 80 dB - Heavy Traffic/Noisy Restaurant



OSHA COMPLIANT LABORATORY TEST REPORT analysis and the sets on sample of data ensuing intertion of the sets on sample of data ensuing interand the set of the set of the set of the set A DBY DUST SUCTOR CARIN, MODEL CSGA for the extraction of the dust during the processing of matched ensuing and asiaon etame:

WE DECLARE

81 +39 -055 dello 56540, inc. - Rost, (pilo 37047 Son Bontoci, - F. e P.VA 0429974235 - Royliko (Harriso) - emoi: <u>Managilio control</u> - F. e P.VA 0429974235 - Royliko (Harriso) - emoi: <u>Managilio control</u> - A 4008

Intake mass flow \approx 2945.88 g/h Calculation = 28,759 g/h

Calculation: 28,759 / 2945.85 = 0.009762 equal to **99,99%** We also can'th that the maximum limit in faily of the dust estimation into the state estimation into the state as shown in the annex 20 mg/Amc in scatter provinces and therefore we liab heats the dust estimate provinces and therefore and therefore we liab heats the dust estimate provinces and therefore are and therefore and theat and theat and theat and theat and therefore a

www.wehausa.com • 1-877-315-4761 • info@wehausa.com

What makes Filter Project different than other filter systems?

- Stocked in USA on both coasts to help save freight costs
- Free remote service available
- Spare parts stored in Charlotte, NC

Part #

TEC714

TEC715

US based technicians



Traps 99.99% of airborne dust and particles



Easy to dump dust collection drawers

Description

Filter Project 10 ft Automatic Dry Dust Collection Booth

Filter Project 13 ft Automatic Dry Dust Collection Booth



Easy ON/OFF buttons



Optional Diffuser



10' Filter Project Dry Dust Collector



Optional Dry Dust Arm



Optional 3 foot Extension Panels



Replacement Sleeves

Scan QR code to view playlist of Filter Project Dust Collector Videos



TEC7	Optional 3 ft Extension Panels			
TEC753	Optional Diffuser for 13'			
TEC752	Optional Diffuser for 10'			
TEC733	Filter Sleeve Replacement Sleeves			

Custom sizes available by special order.



10' & 13' A Water Wall Wet Dust Collection Booth

Filter Project Wet Dust Collector Booths are designed to trap 20% of dust from granite, marble, engineered stone, quartz,

বৃ্দ্রার্থির আর্ব তর্মার্থন আর্মচব্যমন্র চ্রার্ম্ববিহিছ ব্রিন্থ্যু=৫০-০চর্ব্যব্যক্ত

- Traps 90% of airborne dust and particles
- All aluminum, heavy duty
- Simple operation

UTTR PROJET

- Financing available
- Requires 500 gallons of water

DESCRIPTION	SUCTION LENGTH	TOTAL LENGTH	WIDTH	HEIGHT	WEIGHT	POWER 220 3 Phase	DUST EFFECTIVENESS	NOISE LEVEL Decibels
10 FT 3 Meter	115"	128"	38"	94"	704 lbs	7 hp	90%	74 dB*
13 FT 4 METER	155"	179"	38"	94"	913 lbs	8 hp	90%	74 dB*

*Noise levels: 60 dB - Normal Conversation; 70 dB - Toilet Flushing/Vacuum Cleaner; 80 dB - Heavy Traffic/Noisy Restaurant







- Length: 28"
- Width: 40"
- Height: 88 1/2"
- Weight: 176 lbs
- Suction Power: 63,566 CF/h (1800 m3/h)
- 2 HP Motor
- Voltage: 220 v 1 phase. 11.5 amp
- 102" x 6" Diameter Arm
- 4 Swivel wheels
- 3 110 Power outlets on front.







Part #


TEC740

Description

Filter Project Mobile Dust Extractor

Sludge Dehydrator 5 DS-50





- Made of premium grade Stainless Steel AISI304 for years and years of use without rust or deterioration.
- 5 bag valve system. Each valve has a shut off valve.
- Saves time and \$\$\$. No shoveling and scooping out sludge and mud!
- Top tank capacity of 95 gallons
- Strong, durable 1 HP pump





- Length: 103" (2600mm)
- Width: 20" (50mm)
- Height: 79" (2000mm)
- Weight: 308 lbs (140 kg)
- Tank Capacity: 99 Gal (450 Ltr)
- Pump Motor: 1 HP (.75Kw)
- Power Requirement: 220 Single Phase



Also Available by Special Order Filter Project Sludge Dehydrator 4 Bag with pump



Part #	Description		
TEC702	Filter Project Sludge Dehydrator 4 Bag with Pump DS-40		
TEC703	Filter Project Sludge Dehydrator 5 Bag with Pump DS-50		
7240032	Sludge Dehydrator Waste Bags		





The Filter Project Compact Water Treatment plant's size allows the installation of the plant as inside as well as outside of the factory, ensuring a complete functioning like a the traditional system.

The plant is composed of a vertical clarifier, a submersible pump, a safety manual shutter and a pneumatic valve, a flocculant unit, a mud storage tank, a pneumatic pump for the feeding of the filterpress, an automatic filterpress and a electrical control panel with PLC for the management of the plant. As an alternative to the filterpress, for small quantity of mud, we can propose the plant with filtering bag and monoscrew pump for mud extraction.

The Filter Project Compact Water Treatment Plants are made out of either hot galvanized or stainless steel AISI 304.

COMPONENTS

- 1. Collecting Well
- 2. Submersible Pump
- 3. Clarifier
- 4. Polyelectrolyte Preparation and
- Dosing Unit
- 5. Mud Discharge Pneumatic Valve
- 6. Mud Collecting Tank
- 7. Pump for Filterpress Valve
- 8. Filterpress

Col.

- 9. Electric Panel
- 10. Clarified Water Stocking Tank








Available by special order

Part #	Description	
TEC770	Filter Project Compact Plant 250 Ltr per min / 66 GPM	
TEC771	Filter Project Compact Plant 500 Ltr per min / 132 GPM	
TEC772	Filter Project Compact Plant 750 Ltr per min / 198 GPM	
TEC773	Filter Project Compact Plant 1000 Ltr per min / 264 GPM	

132 GPM (500 LPM) Water Plant



The 132 GPM Compact Water Recycling System installs inside or outside of the processing facility. It can be installed inside the fabrication shop because of its compact size. The 132 GPM Stone Water Recycling System functions like a traditional system and is available with or without the optional accessories. For example, this compact slurry filtration machine for fabricating granite is available in galvanized carbon steel or stainless steel.

The components that are included:

- Hot-galvanized or Stainless Steel AISI 304
- 3,434 Gallon Clarifier
- 4" Safety Manual Shutter
- 4" Pneumatic Valve
- 140 Gallon Flocculant Unit
- Mixing Slurry Tank
- Filterpress Diaphragm Pump
- Mud Extraction Valve
- AS300/8P Automatic Filterpress
- Submerged Pump
- Electrical Control Panel



Part #DescriptionTEC771132 GPM Compact Water Recycling System

198 GPM (750 LPM) Water Plant



The 198 GPM Compact Water Recycling System installs inside or outside of the processing facility. It can be installed inside the fabrication shop because of its compact size. The 198 GPM Stone Water Recycling System functions like a traditional system and is available with or without the optional accessories. For example, this compact slurry filtration machine for fabricating granite is available in galvanized carbon steel or stainless steel.

The components that are included:

- Hot-galvanized or Stainless Steel AISI 304
- 4,755 Gallon Clarifier
- 4" Safety Manual Shutter
- 4" Pneumatic Valve
- 140 Gallon Flocculant Unit
- Mixing Slurry Tank
- Filterpress Diaphragm Pump
- Mud Extraction Valve
- AS400/8P Automatic Filterpress
- Submerged Pump
- Electrical Control Panel



Part #	Description
TEC772	198 GPM Compact Water Recycling System

All Filter Project clarification plants are built using sturdy, first quality materials and ground breaking techniques. Water clarification plants play an ever-increasing role in running a productive and profitable stone fabrication or processing enterprise. Give us a call for more information 1-877-315-4761 or email: info@wehausa.com



 Part #

 TEC754
 66 G

Description 66 GPM Lamellar Plant



Lamellar Pack - Wavy Dividers



Relaunching Pump



66 GPM (250 LPM) Lamellar Water Plant

The Lamellar 250 Water Processing Plant is a small sized stone water recycling system that runs at 66 GPM. It is designed to process and clarify waste water produced by a stone fabricators without flocculant. This 66 GPM Water Plant is a stone water clarification system used for indoor installation as well as outdoor installation.

Specifications:

- 66 Gallons per Minute
- 1320 Gallon Vertical Clarifier
- 140 Gallon Flocculant Unit
- 26 Gallon Coagulant Unit
- Submersible Pump
- 4 HP Relaunching Pump
- Sludge Dehydrator Bag System
- Wavy Dividers
- 35 Cubic Foot Filtering Bag Volume
- Double chemical system Coagulant / Flocculant



Flocculant Unit

What makes Filter Project a better choice than other water clarifier systems?

- Double chemical system for cleaner water
- Siemens parts
- Pedrollo pumps/motors
- Items stocked in US
- Free remote service available
 - US based technician for better customer service

All Filter Project clarification plants are built using sturdy, first quality materials and ground breaking techniques. Water clarification plants play an ever-increasing role in running a productive and profitable stone fabrication or processing enterprise. Give us a call for more information 1-877-315-4761 or email: info@wehausa.com



105 GPM (400 LPM) Lamellar Water Plant

The Lamellar 400 Water Processing Plant is a small sized stone water recycling system that runs at 66 GPM. It is designed to process and clarify waste water produced by a stone fabricators without flocculant. This 105 GPM Water Plant is a stone water clarification system used for indoor installation as well as outdoor installation.

Specifications:

- 105 Gallons per Minute
- 1849 Gallon Clarifier
- 140 Gallon Flocculant Unit
- 26 Gallon Coagulant Unit
- Submersible Pump
- 5 1/2 HP Relaunching Pump
- Dual Sludge Dehydrator Bag System
- Wavy Dividers
- 35 Cubic Foot Filtering Bag Volume

Part # TEC756 Description 105 GPM Lamellar Plant



Re-usable in the shop!



Control Panel





Sludge Dehydrator Bag System

/

Part #	Description		
TEC787	5 Gal Flocculent P817E		
TEC788	5 Gal Coagulant P891L		
TEC750	Sludge Bags		



Visit www.wehausa.com to see the full line of Weha products. Get technical information and product manuals along with specifications for many different products.

aucha

CARTS

E-NEWSLETTER - STAY IN TOUCH

HIGHLIGHT

RODUCTS

Our website is easy to navigate. Most products include MSRP and include links to distributors that carry our products so you can purchase directly from them or order online and we will direct your order to one of our preferred distributors.

rything (or the Stone Industr

Bridge Saw Blades for Granite

Quartz, Quartzite, Marble

Access one of our many YouTube videos that show our products in action or videos that show how-to-use our products.

ONKE

PITBULL

www.wehausa.com


Weha has the right tools for working with ceramic and porcelain large panels



Weha Ceramik-Dekton Blade -Page 2



Weha 5" Ultradunn Thin Blade -Page 6



Weha Copper Core Continuous **Rim Blade - Page 5**

Weha Ceramica R-Mesh Turbo Blade Page 4

4" Flap Diamond Cup Wheel Page 21

Weha 4" Pitbull Diamond Hybrid **Resin Cupwheel - Page 20**



Weramic CNC Porcelain Ceramic Core Bits 1/2 Gas - Page 22



Weha Dry Magic Core Bits Page 24





Weha is the authorized Filter Project distributor for North America.



Dry Dust Collector

Toll Free: 1.877.315.4761 Local: 704.940.0115 email: info@wehausa.com





Sludge Dehydrator





Collector



Water Wall Dust Collector

Lamellar Water Clarification Plant